

11 January 2017

(17-0193) Page: 1/1

Committee on Sanitary and Phytosanitary Measures

## NOTIFICATION OF EMERGENCY MEASURES

### *Addendum*

The following communication, received on 11 January 2017, is being circulated at the request of the Delegation of Japan.

Notification of phytosanitary measures to reduce the risk of introduction of "*Candidatus Liberibacter solanacearum*" through the importation of carrot (seed and seedling) and celery (seedling)

This is to inform that the emergency measures notified in G/SPS/N/JPN/383 dated 16 December 2014 have been in effect from 24 November 2016 as regular measures. This effect was notified in advance in G/SPS/N/JPN/438 dated 16 December 2015 specifically page 3 of the attachment and G/SPS/N/JPN/438/Add.1 dated 24 May 2016. Please refer to Item 20 of the link below for details.

List of the plants subject to specific phytosanitary measures to be carried out in exporting countries (The Annexed Table 2-2 of the Ordinance for Enforcement of the Plant Protection Act): [http://www.maff.go.jp/j/syouan/keneki/kikaku/pdf/04\\_at2\\_2\\_specific\\_measures.pdf](http://www.maff.go.jp/j/syouan/keneki/kikaku/pdf/04_at2_2_specific_measures.pdf).

#### **This addendum concerns a:**

- Modification of final date for comments
- Modification of content and/or scope of previously notified regulation
- Withdrawal of regulation
- Change in period of application of measure
- Other:

**Agency or authority designated to handle comments:**  National Notification Authority,  National Enquiry Point. **Address, fax number and e-mail address (if available) of other body:**

**Text(s) available from:**  National Notification Authority,  National Enquiry Point. **Address, fax number and e-mail address (if available) of other body:**

Standards Information Service  
International Trade Division  
Economic Affairs Bureau  
Ministry of Foreign Affairs  
2-2-1 Kasumigaseki, Chiyoda-ku  
Tokyo 100-8919, Japan  
Tel: +(81 3) 5501 8344  
Fax: +(81 3) 5501 8343  
E-mail: enquiry@mofa.go.jp