

Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China

**Bureau of Animal and Plant Health Inspection and Quarantine
Council of Agriculture
Executive Yuan**

In case of any discrepancy between the Chinese text and the English translation thereof,
the Chinese text shall govern.

Individual Quarantine Requirements please refer to BAPHIQ website (www.baphiq.gov.tw)

Updated January 6, 2014 (amendment on B 1(36),p68)

Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China

A. Prohibited Plants or Plant Products

Pursuant to Paragraph 1, Article 14, Plant Protection and Quarantine Act

1. List of prohibited plants or plant products, countries or districts of origin and the reasons for prohibition:

Plants or Plant Products	Countries or Districts of Origin	Reasons for Prohibition
1. Entire or any part of the following living plants (excluding seeds): (1) <i>Brachiaria</i> spp. (2) <i>Echinochloa</i> spp. (3) <i>Leersia hexandra</i> . (4) <i>Oryza</i> spp (5) <i>Panicum</i> spp. (6) <i>Rottboellia</i> spp. (7) <i>Paspalum</i> spp. (8) <i>Sacciolepis interrupta</i> (9) <i>Triticum aestivum</i>	All countries and districts	1. <i>Rice hoja blanca virus</i> (<i>Tenuivirus</i>) 2. <i>Rice dwarf virus</i> (<i>Phytoreovirus</i>) 3. Rice stem nematode (<i>Ditylenchus angustus</i> Butler)
2. Entire or any part of the following living plants (excluding seeds) (1) <i>Calystegia</i> spp. (2) <i>Dioscorea japonica</i> (3) <i>Ipomoea</i> spp. (4) <i>Pharbitis</i> spp.	<p style="text-align: center;">Asia and Pacific Region</p> (1) Palau (2) Mainland (3) Cook Islands (4) Federated States of Micronesia (5) Fiji (6) Guam (7) Kiribati (8) New Caledonia (9) Norfolk Island (10) Northern Mariana Islands (11) Pitcairn Islands (12) Polynesia (13) Ryukyu Archipelago (14) Samoa (15) Tonga (16) Vanuatu (17) Wallis and Futuna <p style="text-align: center;">North America</p> (18) Hawaii (19) United States <p style="text-align: center;">Central and South America</p> (20)Antigua and Barbuda (21)Bahamas (22)Barbados (23)Cuba (24)Dominica (25) Dominican Republic (26) Grenada	West Indian sweet potato weevil (<i>Euscepes postfasciatus</i> Fairmaire)

	(27) Guadeloupe (28) Haiti (29) Jamaica (30) Lesser Antilles (31) Martinique (32) Montserrat (33) Puerto Rico (34) Saint Christopher and Nevis (35) Saint Lucia (36) Saint Vincent and the Grenadines (37) Trinidad and Tobago (38) Virgin Islands (British) (39) Virgin Islands (United States) (40) All countries and districts in South America	
3. Underground portion and adventitious root of all living plants, excluding the following plants(excluding tissue culture plantlets): (1) <i>Agave</i> spp. (2) <i>Allium</i> spp. (3) <i>Amaryllis</i> spp. = <i>Hippeastrum</i> spp. (4) <i>Arctium lappa</i> (5) <i>Asparagus officinalis</i> (6) Bryophyta (7) Cactaceae (8) <i>Cannabis</i> spp. (9) <i>Codiaeum</i> spp. (10) <i>Dianthus</i> spp. (11) <i>Epipactis longifolia</i> (12) <i>Euphorbia</i> spp. (13) <i>Freesia</i> spp. (14) <i>Geranium</i> spp. (15) <i>Hyacinthus</i> spp. (16) <i>Iris</i> spp. (17) <i>Juglans</i> spp. (18) <i>Lilium</i> spp. (19) <i>Malus</i> spp. (20) <i>Marchantia polymorpha</i> (21) <i>Muscari</i> spp. (22) Orchidaceae (23) <i>Pastinaca sativa</i> (24) <i>Pelargonium</i> spp. (25) <i>Prunus</i> spp.; (excluding <i>P. persica</i>) (26) Pteridophyte (27) <i>Rhododendron</i> spp. (excluding <i>R. indicum</i>)	Asia and Pacific Region (1) American Samoa (2) Australia(Northern Territory, New South Wales, Queensland, South Australia, Western Australia) (3) Belau (4) Brunei Darussalam (5) Cook Islands (6) Federated states of Micronesia (7) Fiji (8) French Polynesia (9) Guam (10) India (11) Indonesia (12) Lebanon (13) Malaysia (14) Nepal (15) Niue (16) Norfolk Island (17) Oman (18) Pakistan (19) Papua New Guinea (20) Philippines (21) Samoa (22) Singapore (23) Solomon Islands (24) Sri Lanka (25) Thailand (26) Tonga (27) Vietnam (28) Yemen Africa (29) Countries in Africa Europe	Burrowing nematode (<i>Radopholus similis</i> (Cobb)Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan)

<p>(28) <i>Rhoeo discolor</i> (29) <i>Rosa</i> spp. (30) <i>Rubus</i> spp. (31) <i>Sagittaria</i> spp. (32) tuber of <i>Solanum tuberosum</i> (33) <i>Tulipa</i> spp. (34) <i>Vitis vinifera</i> (35) Flower bulbs (excluding <i>Canna</i> spp. , <i>Musa</i> spp. and Zingiberaceae)</p>	<p>(30) Belgium (31) France (32) Germany (33) Italy (34) Luxembourg (35) Netherlands (36) Poland (37) Slovenia (38) United Kingdom North America (39) Mexico (40) United States (excluding Alaska and California) Central and South America (41) Barbados (42) Belize (43) Bolivia (44) Brazil (45) Colombia (46) Costa Rica (47) Cuba (48) Dominica (49) Dominican Republic (50) Ecuador (51) El Salvador (52) French Guiana (53) French West Indies (54) Grenada (55) Guadeloupe (56) Guatemala (57) Guyana (58) Honduras (59) Jamaica (60) Martinique (61) Nicaragua (62) Panama (63) Peru (64) Puerto Rico (65) St. Christopher & Nevis (66) Saint Lucia (67) Saint Vincent and the Grenadines (68) Trinidad and Tobago (69) Suriname (70) Virgin Islands (United States) (71) Venezuela</p>	
<p>4. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p>Asia and Pacific Region (1) Australia (2) Indonesia (3) Cyprus (4) Israel</p>	<p><i>Citrus psorosis virus</i> (<i>Ophiovirus</i>)</p>

	<p>(5) Lebanon (6) Mainland (7) Malaysia (8) Philippines (9) Saudi Arabia (10) Syrian (11) Turkey</p> <p style="text-align: center;">Africa</p> <p>(12) Algeria (13) Egypt (14) Democratic Republic of the Congo (15) Kenya (16) Libyan (17) Morocco (18) Tunisia</p> <p style="text-align: center;">Europe</p> <p>(19) Albania (20) Bosnia and Herzegovina (21) Croatia (22) France (23) Greece (24) Italy (25) Malta (26) Monaco (27) Portugal (28) Slovenia (29) Spain (30) Yugoslavia</p> <p style="text-align: center;">North America</p> <p>(31) United States</p> <p style="text-align: center;">Central and South America</p> <p>(32) Brazil (33) Chile (34) Colombia (35) Mexico (36) Peru (36) Suriname (37) Uruguay</p>	
<p>5. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) :</p> <p>(1) <i>Calodendrum capense</i> (2) <i>Catharanthus roseus</i> (3) <i>Citrus</i> spp. (4) <i>Fortunella</i> spp. (5) <i>Poncirus</i> spp.</p>	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Saudi Arabia (2) Yemen</p> <p style="text-align: center;">Africa</p> <p>(3) Burundi (4) Cameroon (5) Central African Republic (6) Comoros (7) Ethiopia (8) Kenya (9) Lesotho (10) Madagascar</p>	<p>African greening of citrus (<i>Candidatus Liberibacter africanus</i> Garnier <i>et al.</i>)</p>

	(11) Malawi (12) Mauritius (13) Reunion (14) Rwanda (15) Somalia (16) South Africa (17) Swaziland (18) Tanzania (19) Zimbabwe	
6. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	Asia and Pacific Region (1) Indonesia (2) Mainland (3) Malaysia Central and South America (4) All countries and districts in South America	Stem pitting strains of <i>Citrus tristeza virus</i> (<i>Closterovirus</i>)
7. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) : (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	Asia and Pacific Region (1) Australia Africa (2) Lesotho (3) South Africa (4) Swaziland North America (5) United States (6) Mexico Central and South America (7) All countries and districts in Central America (8) All countries and districts in South America	Citrus blight
8. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	Asia and Pacific Region (1) Australia (2) Cyprus (3) Israel (4) Lebanon (5) Pakistan (6) Syrian (7) Turkey Africa (8) Algeria (9) Egypt (10) Libyan (11) Morocco (12) Tunisia Europe (13) Albania (14) Bosnia and Herzegovina (15) Croatia (16) France (17) Greece (18) Italy	Stubborn disease of citrus (<i>Spiroplasma citri</i>)

	(19) Malta (20) Monaco (21) Slovenia (22) Spain (23) Yugoslavia North America (24) United States Central and South America (25) Brazil (26) Suriname	
9. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	Asia and Pacific Region (1) Cyprus (2) India (3) Israel (4) Jordan (5) Lebanon (6) Philippines (7) Saudi Arabia (8) Syria (9) Turkey (10) Yemen Africa (11) Algeria (12) Egypt (13) Kenya (14) Morocco (15) Lesotho (16) South Africa (17) Swaziland (18) Tunisia Europe (19) Bosnia and Herzegovina (20) Croatia (21) France (22) Greece (23) Italy (24) Portugal (25) Slovenia (26) Spain (27) Yugoslavia North America (28) United States Central and South America (29) Argentina (30) Brazil (31) Colombia (32) Ecuador (33) Guyana (34) Suriname (35) Trinidad and Tobago (36) Venezuela	<i>Citrus cachexia viroid</i>

10. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Asia and Pacific Region</p> (1) Australia (2) Japan (3) Indonesia <p style="text-align: center;">Africa</p> (4) Kenya (5) Lesotho (6) South Africa (7) Swaziland <p style="text-align: center;">North America</p> (8) United States <p style="text-align: center;">Central and South America</p> (9) Peru	Vein enation disease
11. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Asia and Pacific Region</p> (1) Cyprus (2) Iran (3) Lebanon (4) Turkey <p style="text-align: center;">Africa</p> (5) Algeria (6) Morocco (7) Lesotho (8) South Africa (9) Swaziland <p style="text-align: center;">Europe</p> (10) Greece (11) Italy (12) Spain <p style="text-align: center;">Central and South America</p> (13) Venezuela	Impietratura disease (virus)
12. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Central and South America</p> (1) Brazil	Leaf curl disease (virus)
13. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Asia and Pacific Region</p> (1) Japan (2) Korea (3) Mainland	<i>Satsuma dwarf virus</i> (<i>Sadwavivirus</i>)
14. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Europe</p> (1) Corsica (2) Italy <p style="text-align: center;">Africa</p> (3) Algeria (4) Morocco	Cristacortis viroid
15. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Africa</p> (1) Kenya (2) Lesotho (3) South Africa (4) Swaziland	Ringspot disease

	<p style="text-align: center;">Europe</p> <p>(5) Sicily (6) Spain</p> <p style="text-align: center;">North America</p> <p>(7) United States</p> <p style="text-align: center;">Central and South America</p> <p>(8) El Salvador</p>	
16. Entire or any part of living citrus, lemon, sour orange, and cirtron plants (excluding seeds and fruits)	<p style="text-align: center;">Asian and Pacific Region</p> <p>(1) Armenia (2) Azerbaijan (3) Bahrain (4) Cyprus (5) Georgia (6) Israel (7) Kazakhstan (8) Kyrgyz (9) Moldova (10) Russian Federation (11) Syrian Arab (12) Tajikistan (13) Turkey (14) Turkmenistan (15) Ukraine (16) Uzbekistan</p> <p style="text-align: center;">Africa</p> <p>(17) Algeria (18) Tunisia</p> <p style="text-align: center;">Europe</p> <p>(19) Crete (20) Estonia (21) France (22) Greece (23) Italy (24) Latvia (25) Lithuania</p>	Citrus drywilt (<i>Phoma tracheiphila</i> Petri)
17. Entire or any part of living <i>Saccharum</i> spp. and <i>Erianthus maximus</i> plants (excluding flowers, fruits, and seeds)	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Australia (2) Fiji (3) Indonesia (4) Malaysia (5) New Caledonia (6) Papua New Guinea (7) Philippines (8) Samoa Islands (9) Solomon Islands (10) Thailand (11) Vanuatu</p> <p style="text-align: center;">Africa</p> <p>(12) Madagascar</p>	<i>Fiji disease virus</i> (<i>Fijivirus</i>)
18. Entire or any part of the following living plants	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Australia</p>	<i>Sugarcane bacilliform virus</i> (<i>Badnavirus</i>)

<p>(excluding flowers, fruits, seeds):</p> <p>(1) <i>Brachiaria</i> spp. (2) <i>Panicum maximum</i> (3) <i>Rottboellia exaltata</i> (4) <i>Saccharum</i> spp. (5) <i>Sorghum halepense</i></p>	<p>(2) Papua New Guinea Africa (3) Madagascar (4) Madeira (5) Malawi (6) Morocco (7) Reunion (8) Lesotho (9) South Africa (10) Swaziland</p>	
<p>19. Entire or any part of the following living plants (excluding seeds and fruits):</p> <p>(1) <i>Digitaria</i> spp. (2) <i>Eleusine</i> spp. (3) <i>Paspalum</i> spp. (4) <i>Setaria</i> spp. (5) <i>Sporobolus</i> spp. (6) <i>Saccharum officinarum</i></p>	<p>Asia and Pacific Region (1) India (2) Pakistan Africa (3) Benin (4) Egypt (5) Cote d'Ivoire (6) Kenya (7) Madeira (8) Malawi (9) Mauritius (10) Mozambique (11) Reunion (12) Lesotho (13) South Africa (14) Swaziland (15) Sudan (16) Uganda (17) Zimbabwe</p>	<p><i>Sugarcane streak virus (Mastrevirus)</i></p>
<p>20. Entire or any part of living <i>Saccharum</i> spp. plants</p>	<p>Asia and Pacific Region (1) Bangladesh (2) India (3) Malaysia (4) Myanmar (5) Nepal (6) Sri Lanka Africa (7) Sudan</p>	<p>Sugarcane grassy shoot phytoplasma</p>
<p>21. Entire or any part of the following living plants (excluding seeds):</p> <p>(1) <i>Areca catechu</i> (2) Bamboo (<i>Bambusa vulgaris</i>) (3) <i>Brachiaria mutica</i> (4) Coconut (<i>Cocos nucifera</i>) (5) Job's tears (<i>Coix lachrymajobi</i>) (6) <i>Dictyosperma album</i> (7) Guinea grass (<i>Panicum maximum</i>)</p>	<p>Asia and Pacific Region (1) Fiji (2) India Africa (3) Ghana (4) Madagascar (5) Madeira (6) Malawi (7) Mauritius (8) Mozambique (9) Reunion (10) Lesotho (11) South Africa</p>	<p>Sugarcane Gumming disease (<i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i>)</p>

<p>(8) Millet (<i>Panicum iliaceum</i>) (9) Elephant grass (<i>Pennisetum purpureum</i>) (10) <i>Roystonea regia</i> (11) <i>Saccharum</i> spp. (12) Sorghum (<i>Sorghum bicolor</i>) (13) Johnson grass (<i>Sorghum halepense</i>) (14) Sudan grass (<i>Sorghum sudanense</i>) (15) <i>Sorghum verticilliform</i> (16) <i>Thysanolaena maxima</i> (17) <i>Tripsacum fasciculatum</i> (18) <i>Zea mays</i> (excluding ears without husks)</p>	<p>(12) Swaziland (13) Zimbabwe Central and South America (14) Antigua (15) Antigua and Barbuda (16) Argentina (17) Barbados (18) Belize (19) Brazil (20) Colombia (21) Cuba (22) Dominican Republic (23) Guadeloupe (24) Martinique (25) Puerto Rico (26) Saint Christopher and Nevis (27) Saint Lucia (28) Saint Vincent and the Grenadines</p>	
<p>22. Entire or any part of the following living plants: (1) <i>Arenga engleri</i> (2) <i>Borassus flabellifer</i> (3) <i>Caryota mitis</i> (4) <i>Chrysalidocarpus cabadae</i> (5) <i>Cocos nucifera</i> (6) <i>Corypha utan</i> (7) <i>Dictyosperma album</i> (8) <i>Howea forsteriana</i> (9) <i>Hyophorbe verschaffeltii</i> (10) <i>Latania</i> spp. (11) <i>Livistona chinensis</i> (12) <i>Livistona rotundifolia</i> (13) <i>Phoenix canariensis</i> (14) <i>Phoenix dactylifera</i> (15) <i>Phoenix reclinata</i> (16) <i>Phoenix sylvestris</i> (17) <i>Trachycarpus fortunei</i> (18) <i>Veitchia macdanielsii</i> (19) <i>Veitchia merrillii</i></p>	<p>Africa (1) Benin (2) Cameroon (3) Ghana (4) Kenya (5) Mozambique (6) Nigeria (7) Tanzania (8) Togo North America (9) United States (Florida) South America (10) Mexico (11) Belize (12) Cayman Islands (13) Cuba (14) Dominican Republic (15) Haiti (16) Honduras (17) Jamaica</p>	<p>Lethal yellowing phytoplasma</p>
<p>23. Entire or any part of living coconut palm</p>	<p>Asian and Pacific Region (1) Guam</p>	<p><i>Coconut tinangaja viroid</i> (<i>Cocadviroid</i>)</p>
<p>24. Entire or any part of following living plants: (1) <i>Areca catechu</i> (2) <i>Arenga pinnata</i> (3) <i>Borassus</i> spp. (4) <i>Chloris</i> spp. (5) <i>Corypha elata</i> (6) <i>Cocos nucifera</i> (7) <i>Elaeis guineensis</i></p>	<p>Asian and Pacific Region (1) Philippine (2) Solomon Islands</p>	<p><i>Coconut cadang-cadang viroid</i> (<i>Cocadviroid</i>)</p>

(8) <i>Livistona rotundifolia</i> (9) <i>Phoenix dactylifera</i>		
25. Entire or any part of living banana plant (<i>Musa</i> spp.)	Central and South America (1) Costa Rica (2) Honduras	Roxana disease (virus)
26. Entire or any part of living banana plant (<i>Musa</i> spp.) and Heliconia plant (<i>Heliconia</i> spp.)	Asian and Pacific Region (1) Negara Brunei Darussalam (2) India (3) Indonesia (4) Malaysia (5) Philippines (6) Sri Lanka (7) Thailand (8) Vietnam Africa (9) Ethiopia (10) Libya (11) Mauritius (12) Nigeria (13) Senegal (14) Sierra Leone (15) Somalia North America (16) United States (Florida) Central and South America (17) Antigua and Barbuda (18) Argentina (19) Bahamas (20) Barbados (21) Belize (22) Brazil (23) Colombia (24) Costa Rica (25) Cuba (26) Dominica (27) Dominican Republic (28) El Salvador (29) Grenada (30) Guadeloupe (31) Guatemala (32) Guyana (33) Haiti (34) Honduras (35) Jamaica (36) Mexico (37) Nicaragua (38) Panama (39) Peru (40) Puerto Rico (41) Saint Christopher and Nevis (42) Saint Lucia	Moko disease (<i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> Race 2) (Formerly <i>Pseudomonas solanacearum</i> (Smith) Smith Race 2)

	(43) Saint Vincent and the Grenadines (44) Suriname (45) Trinidad and Tobago (46) Venezuela	
27. Entire or any part of living banana, Bluggoe, and Heliconia plants	<p style="text-align: center;">Asia and Pacific Region</p> (1) Australia (2) Banda Islands (3) Negara Brunei Darussalam (4) Myanmar (5) Fiji (6) India (7) Indonesia (8) Israel (9) Malaysia (10) Pakistan (11) Papua New Guinea (12) Philippines (13) Sri Lanka (14) Thailand (15) Vietnam <p style="text-align: center;">Africa</p> (16) Cameroon (17) Canary Islands (18) Congo (19) Ghana (20) Kenya (21) Madagascar (22) Mauritius (23) Mozambique (24) Nigeria (25) South Africa (26) Sierra Leone (27) Tanzania (28) Uganda <p style="text-align: center;">North America</p> (29) Hawaii <p style="text-align: center;">Central America</p> (30) Barbados (31) Belize (32) Brazil (33) Colombia (34) Costa Rica (35) Cuba (36) Dominican Republic (37) Ecuador (38) El Salvador (39) Cayman Islands (40) Guadeloupe (41) Grenada (42) Guatemala	Panama disease, Banana fusarial wilt (<i>Fusarium oxysporum</i> f. sp. <i>cubense</i> (E.F. Smith) Snyd. & Hans. Race 2 & Race 3)

	(43) Guyana (44) Haiti (45) Honduras (46) Jamaica (47) Martinique (48) Mexico (49) Nicaragua (50) Panama (51) Peru (52) Puerto Rico (53) Saint Lucia (54) Saint Vincent and the Grenadines (55) Suriname (56) Trinidad and Tobago (57) Venezuela (58) Virgin Islands (United States)	
28. Fresh fruits, but excluding fruits of following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Ananas comosus</i> (3) <i>Cocos nucifera</i> (4) <i>Hypericum</i> spp. (5) <i>Leucadendron</i> spp. (6) <i>Lycesteria</i> spp. (7) <i>Musa</i> spp. (excluding green-ripened bananas) (8) <i>Symphoricarpus</i> spp. (9) <i>Viburnum</i> spp.	<p style="text-align: center;">Asia and Pacific Region</p> (1) Armenia (2) Australia (excluding Tasmania, Riverland and Sunraysia) (3) Azerbaijan (4) Belarus (5) Cyprus (6) Georgia (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) Russian Federation (14) Saudi Arabia (15) Syria (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan <p style="text-align: center;">Africa</p> (21) All countries and districts in Africa <p style="text-align: center;">Europe</p> (22) Albania (23) Austria (24) Belgium (25) Bosnia and Herzegovina (26) United Kingdom (27) Croatia (28) Estonia (29) France	Mediterranean fruit fly (<i>Ceratitis capitata</i> (Wiedemann))

- | | | |
|--|---|--|
| | <p>(30) Germany
(31) Greece
(32) Hungary
(33) Ireland
(34) Italy
(35) Latvia
(36) Lithuania
(37) Malta
(38) Netherlands
(39) Portugal
(40) Spain
(41) Switzerland
(42) Yugoslavia
(43) Slovenia</p> <p style="text-align: center;">North America</p> <p>(44) Bermuda
(45) Hawaii</p> <p style="text-align: center;">Central and South America</p> <p>(46) Antigua and Barbuda
(47) Argentina
(48) Bahamas
(49) Barbados
(50) Bolivia
(51) Brazil
(52) Chile (excluding Region III to
Region X, XIV and
Metropolitan Region)
(53) Colombia
(54) Costa Rica
(55) Cuba
(56) Dominica
(57) Dominican Republic
(58) Ecuador
(59) El Salvador
(60) Grenada
(61) Guatemala
(62) Haiti
(63) Honduras
(64) Jamaica
(65) Mexico
(66) Nicaragua
(67) Panama
(68) Paraguay
(69) Peru
(70) Puerto Rico
(71) Saint Christopher and Nevis
(72) Saint Lucia
(73) Saint Vincent and the
Grenadines
(74) Trinidad and Tobago
(75) Uruguay</p> | |
|--|---|--|

	(76) Venezuela	
29. Fresh fruits of the following plants: (1) <i>Actinidia deliciosa</i> (2) <i>Aegle marmelos</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona</i> spp. (5) <i>Averrhoa</i> spp. (6) <i>Blighia sapida</i> (7) <i>Calophyllum inophyllum</i> (8) <i>Cananga odorata</i> (9) <i>Capsicum</i> spp. (10) <i>Carica papaya</i> (11) <i>Casimiroa edulis</i> (12) <i>Chrysophyllum cainito</i> (13) <i>Citrus</i> spp. (14) <i>Clausena lansium</i> (15) <i>Coffea</i> spp. (16) <i>Cucurbita moschata</i> (17) <i>Cydonia oblonga</i> (18) <i>Cyphomandra betacea</i> (19) <i>Dimocarpus longan</i> (20) <i>Diospyros</i> spp. (21) <i>Dovyalis caffra</i> (22) <i>Eremocitrus glauca</i> (23) <i>Eriobotrya japonica</i> (24) <i>Eugenia</i> spp. = <i>Syzygium</i> spp. (25) <i>Feijoa sellowiana</i> (26) <i>Ficus</i> spp. (27) <i>Flacourtia</i> spp. (28) <i>Fortunella</i> spp. (29) <i>Grewia asiatica</i> (30) <i>Juglans regia</i> (31) <i>Litchi chinensis</i> (32) <i>Lycopersicon esculentum</i> (33) <i>Malpighia emarginata</i> (34) <i>Malus</i> spp. (35) <i>Mangifera</i> spp. (36) <i>Manilkara zapota</i> (37) <i>Mimusops elengi</i> (38) <i>Momordica charantia</i> (39) <i>Morus</i> spp. (40) <i>Musa</i> spp. (41) <i>Myrciaria cauliflora</i> (42) <i>Nephelium lappaceum</i> (43) <i>Nerium oleander</i> (44) <i>Olea europaea</i> (45) <i>Opuntia ficusindica</i> (46) <i>Passiflora</i> spp. (47) <i>Persea americana</i>	Asia and Pacific Region (1) Australia (excluding Riverland and Tasmania) (2) Easter Island (3) New Caledonia (4) Papua New Guinea (5) Society Island (6) Tubuai Island (7) French Polynesia	Queensland fruit fly (<i>Bactrocera tryoni</i> (Froggatt))

<p>(48) <i>Phoenix dactylifera</i> (49) <i>Phyllanthus acidus</i> (50) <i>Physalis peruviana</i> (51) <i>Pometia pinnata</i> (52) <i>Poncirus</i> spp. (53) <i>Pouteria</i> spp. (54) <i>Prunus</i> spp. (55) <i>Psidium</i> spp. (56) <i>Punica granatum</i> (57) <i>Pyrus communis</i> (58) <i>Rollinia</i> spp. (59) <i>Rubus</i> spp. (60) <i>Solanum</i> spp. (61) <i>Spondias</i> spp. (63) <i>Synsepalum dulcificum</i> (64) <i>Terminalia</i> spp. (65) <i>Thevetia peruviana</i> (66) <i>Trichosanthes cucumerina</i> var. <i>anguinea</i> (67) <i>Vitis</i> spp. (68) <i>Ziziphus</i> spp.</p>		
<p>30. Entire or any part of the following living plants (excluding flowers, fruits, and seeds): (1) Red pepper, Sweet pepper (<i>Capsicum annuum</i>) (2) Tomato (<i>Lycopersicon esculentum</i>) (3) Bitter-sweet (<i>Solanum lyratum</i>) (4) Eggplant (<i>Solanum melongena</i>) (5) Black nightshade (<i>Solanum nigrum</i>) (6) Potato (<i>Solanum tuberosum</i>)</p>	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Armenia (2) Azerbaijan (3) Belarus (4) Bhutan (5) Georgia (6) Kazakhstan (7) India (8) Kyrgyz (9) Mainland (10) Moldova (11) Nepal (12) Russian Federation (13) Tajikistan (14) Turkmenistan (15) Ukraine (16) Uzbekistan</p> <p style="text-align: center;">Africa</p> <p>(17) Lesotho (18) South Africa (19) Swaziland</p> <p style="text-align: center;">Europe</p> <p>(20) All countries and districts in Europe (excluding Albania and Greece)</p> <p style="text-align: center;">North America</p> <p>(21) Canada (excluding New Brunswick and Quebec Provinces; seed potatoes are prohibited)</p>	<p>Potato wart (<i>Synchytrium endobioticum</i> (Schilf) Per.)</p>

	Central and South America	
	(22) Bolivia (23) Chile (24) Ecuador (25) Falkland Islands (26) Peru (27) Uruguay	
31. Entire or any part of the following living plants (excluding leaf, flowers, fruits, seeds and tissue culture plantlets): (1) <i>Chenopodium</i> spp. (2) Salpiglossidaceae (3) Solanaceae	Asia and Pacific Region (1) Armenia (2) Australia (Victoria & Western Australia) (3) Azerbaijan (4) Belarus (5) Georgia (6) India (7) Indonesia (8) Japan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Malaysia (13) Moldova (14) New Zealand (15) Norfolk Island (16) Oman (17) Pakistan (18) Philippines (19) Russian Federation (20) Sri Lanka (21) Tajikistan (22) Turkmenistan (23) Turkey (24) Ukraine (25) Uzbekistan Africa (26) Algeria (27) Egypt (28) Canary Islands (29) Lesotho (30) Libya (31) Morocco (32) Sierra Leone (33) South Africa (34) Swaziland (35) Tunisia (36) Zimbabwe Europe (37) Albania (38) Austria (39) Balearic Islands (40) Belgium	Golden nematode (<i>Globodera rostochiensis</i> Wr.)

	<p>(41) Bosnia and Herzegovina (42) Bulgaria (43) Croatia (44) Channel Islands (45) Cyprus (46) Clyde Island (47) Czech (48) Denmark (49) Estonia (50) Faroe Islands (51) Finland (52) France (53) Germany (54) Greece (55) Hungary (56) Iceland (57) Ireland (58) Italy (59) Liechtenstein (60) Latvia (61) Lithuania (62) Luxembourg (63) Malta (64) Montenegro (65) Netherlands (66) Norway (67) Poland (68) Portugal (69) Rumania (70) Serbia (71) Slovakia (72) Slovenia (73) Spain (74) Sweden (75) Switzerland (76) Yugoslavia (77) United Kingdom</p> <p style="text-align: center;">North America</p> <p>(78) Canada (excluding New Brunswick and Edward Island; seed potatoes are prohibited) (79) Mexico (80) United States (excluding Alaska, California, Colorado, Idaho, Montana, Oregon, Washington States; seed potatoes are allowed to be imported from Alaska and Montana State only)</p> <p style="text-align: center;">Central and South America</p> <p>(81) Argentina</p>	
--	--	--

	(82) Bolivia (83) Brazil (84) Chile (85) Colombia (86) Costa Rica (87) Ecuador (88) Panama (89) Peru (90) Venezuela	
32. Entire or any part of the following living plants (excluding seeds): (1) Eggplant (<i>Capsicum annuum</i>) (2) Red pepper, Sweet pepper (<i>Capsicum annuum</i>) (3) Tobacco (<i>Solanum melongena</i>)	<p style="text-align: center;">Asia and Pacific Region</p> (1) Armenia (2) Australia (3) Azerbaijan (4) Belarus (5) Georgia (6) Iran (7) Iraq (8) Israel (9) Jordan (10) Kazakhstan (11) Kyrgyz (12) Lebanon (13) Moldova (14) Myanmar (15) Pakistan (16) Russian Federation (17) Syria (18) Tajikistan (19) Turkey (20) Turkmenistan (21) Ukraine (22) Uzbekistan (23) Yemen <p style="text-align: center;">Africa</p> (24) Algeria (25) Egypt (26) Libyan (27) Morocco (28) Reunion (29) Tunisia <p style="text-align: center;">Europe</p> (30) All countries and districts in Europe(excluding Netherlands) <p style="text-align: center;">North America</p> (31) Canada (excluding British Columbia) (32) United States <p style="text-align: center;">Central and South America</p> (33) Antigua and Barbuda (34) Argentina (35) Bahamas	Tobacco blue mold (<i>Peronospora tabacina</i> Adam.)

	(36) Barbados (37) Belize (38) Brazil (39) Chile (40) Colombia (41) Costa Rica (42) Cuba (43) Dominica (44) Dominican Republic (45) El Salvador (46) Grenada (47) Guatemala (48) Haiti (49) Honduras (50) Jamaica (51) Mexico (52) Nicaragua (53) Panama (54) Puerto Rico (55) Saint Christopher and Nevis (56) Saint Lucia (57) Saint Vincent and the Grenadines (58) Trinidad and Tobago (59) Uruguay (60) Venezuela	
33. Fresh fruits and seeds of mango plants (<i>Mangifera</i> spp.)	Asia and Pacific Region (1) Australia (2) Bangladesh (3) Bhutan (4) Chagos Islands (5) Fiji (6) French Polynesia (7) Guam (8) India (9) Indonesia (10) Malaysia (11) Marianas Islands (12) Myanmar (13) Nepal (14) New Caledonia (15) Papua New Guinea (16) Northern Mariana Islands (17) Oman (18) Pakistan (19) Philippines (20) Sri Lanka (21) Thailand (22) Tonga (23) United Arab Emirates (24) Vietnam	Mango seed weevil (<i>Sternochetus mangiferae</i> (Fabricius))

	(25) Wallis Island (26) Wallis and Futuna Africa (27) British Indian Ocean Territory (28) Central African Republic (29) Gabon (30) Ghana (31) Guinea (32) Kenya (33) Lesotho (34) Liberia (35) Madagascar (36) Malawi (37) Mauritius (38) Mozambique (39) Nigeria (40) Reunion (41) Seychelles (42) South Africa (43) Swaziland (44) Tanzania (45) Uganda (46) Zambia Europe (47) France North America (48) United States Central and South America (49) Barbados (50) Virgin Islands (British) (51) Dominican Republic (52) Guadeloupe (53) Grenada (54) Guiana (55) Guadeloupe (56) Martinique (57) Montserrat (58) Saint Lucia (59) Saint Vincent and the Grenadines (60) Trinidad and Tobago (61) Virgin Islands (United States)	
34. Fresh fruits of citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.)	Asia and Pacific Region (1) Bhutan (2) India (3) Mainland (4) Nepal	Chinese citrus fly (<i>Bactrocera minax</i> (Enderlein))
35. Fresh fruits of the following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i>	Asia and Pacific Region (1) Bangladesh (2) Cambodia (3) India	Peach fruit fly (<i>Bactrocera zonata</i> (Saunders))

<p>(2) <i>Aegle marmelos</i> (3) <i>Azadirachta indica</i> (4) <i>Annona squamosa</i> (5) <i>Careya arborea</i> (6) <i>Carica papaya</i> (7) Citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (8) <i>Cucurbitaceae</i> (9) <i>Cydonia oblonga</i> (10) <i>Ficus carica</i> (11) <i>Grewia asiatica</i> (12) <i>Lycopersicon esculentum</i> (13) <i>Malpighia emarginata</i> = <i>M.</i> <i>glabra</i> (14) <i>Malus</i> spp. (15) <i>Mangifera indica</i> (16) <i>Manilkara zapota</i> (17) <i>Morus alba</i> (18) <i>Phoenix dactylifera</i> (19) <i>Prunus avium</i> (20) <i>Prunus persica</i> (21) <i>Psidium guajava</i> (22) <i>Punica granatum</i> (23) <i>Solanum melongena</i> (24) <i>Syzygium jambos</i> (25) <i>Terminalia catappa</i> (26) <i>Ziziphus jujuba</i></p>	<p>(4) Indonesia (5) Iran (6) Israel (7) Lao (8) Myanmar (9) Oman (10) Pakistan (11) Saudi Arabia (12) Sri Lanka (13) Thailand (14) United Arab Emirates (15) Vietnam Africa (16) Egypt (17) Mauritius (18) Reunion</p>	
<p>36. Fresh fruits of the following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Capsicum annuum</i> (3) <i>Cucurbitaceae</i> (4) <i>Gossypium</i> spp. (5) <i>Lycopersicon esculentum</i> (6) <i>Phaseolus</i> spp.</p>	<p>Asia and Pacific Region (1) Bangladesh (2) India (3) Iran (4) Israel (5) Myanmar (6) Pakistan (7) Saudi Arabia (8) Sri Lanka (9) Yemen Africa (10) Angola (11) Benin (12) Botswana (13) Cameroon (14) Cape Verde (15) Chad (16) Congo (17) Egypt (18) Eritrea (19) Ethiopia (20) Ghana (21) Guinea</p>	<p>Cucurbit fly (<i>Dacus ciliatus</i> Loew)</p>

	(22) Kenya (23) Lesotho (24) Madagascar (25) Malawi (26) Mauritius (27) Mozambique (28) Namibia (29) Nigeria (30) Rwanda (31) Reunion (32) Saint Helena (33) Senegal (34) Sierra Leone (35) Somalia (36) South Africa (37) Sudan (38) Swaziland (39) Tanzania (40) Togo (41) Uganda (42) Zambia (43) Zimbabwe	
37. Fresh fruits of the following plants : (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Aegle marmelos</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona</i> spp. (5) <i>Areca catechu</i> (6) <i>Artocarpus integer</i> (7) <i>Averrhoa carambola</i> (8) <i>Baccaurea racemosa</i> (9) <i>Bouea macrophylla</i> (10) <i>Bouea oppositifolia</i> (11) <i>Cananga odorata</i> (12) <i>Capparis</i> spp. (13) <i>Careya</i> spp. (14) <i>Carica papaya</i> (15) <i>Carissa carandas</i> (16) <i>Casimiroa edulis</i> (17) <i>Chrysophyllum</i> spp. (18) <i>Citrus</i> spp. (19) <i>Coccinia grandis</i> (20) <i>Coffea</i> spp. (21) <i>Cucumis melo</i> (22) <i>Cydonia oblonga</i> (23) <i>Dimocarpus longan</i> = <i>Euphoria longana</i> (24) <i>Diospyros</i> spp. (25) <i>Dipterocarpus obtusifolius</i>	Asia and Pacific Region (1) Myanmar (2) India (3) Mainland (excluding Shantung) (4) Nepal (5) Pakistan (6) Philippines (7) Sri Lanka (8) Thailand (9) Vietnam	Guava fruit fly (<i>Bactrocera correcta</i> (Bezzi))

<p>(26) <i>Elaeocarpus madopetalus</i> (27) <i>Ficus carica</i> (28) <i>Flacourtia indica</i> (29) <i>Flacourtia jangomas</i> (30) <i>Fortunella</i> spp. (31) <i>Garcinia xanthochymus</i> (32) <i>Hylocereus</i> spp. (33) <i>Irvingia malayana</i> (34) <i>Jubaea spectabilis</i> (35) <i>Knema angustifolia</i> (36) <i>Lepisanthes fruticosa</i> (37) <i>Lycopersicon esculentum</i> (38) <i>Madhuca longifolia</i> (39) <i>Maerua siamensis</i> (40) <i>Malpighia emarginata</i>=<i>M. glabra</i> (41) <i>Malus sylvestris</i> (42) <i>Mangifera indica</i> (43) <i>Manilkara zapota</i>=<i>Achras sapota</i> (44) <i>Mimusops elengi</i> (45) <i>Muntingia calabura</i> (46) <i>Musa paradisiaca</i> (47) <i>Olax scandens</i> (48) <i>Opuntia vulgaris</i> (49) <i>Phoenix dactylifera</i> (50) <i>Phyllanthus acidus</i> (51) <i>Polyalthia longifolia</i> (52) <i>Poncirus</i> spp. (53) <i>Prunus armeniaca</i> (54) <i>Prunus avium</i> (55) <i>Prunus cerasus</i> (56) <i>Prunus persica</i> (57) <i>Psidium guajava</i> (58) <i>Punica granatum</i> (59) <i>Pyrus communis</i> (60) <i>Ricinus communis</i> (61) <i>Sandoricum koetjape</i> (62) <i>Santalum album</i> (63) <i>Schoepfia fragrans</i> (64) <i>Securinega virosa</i> (65) <i>Spondias</i> spp. (66) <i>Strychnos potatorum</i> (67) <i>Syzygium</i> spp.=<i>Eugenia</i> spp. (68) <i>Terminalia catappa</i> (69) <i>Walsura intermedia</i> (70) <i>Ziziphus</i> spp.</p>		
<p>38. Fresh fruits of the following plants: (1) <i>Aglaia dookoo</i></p>	<p>Asia and Pacific Region (1) Andaman Islands (2) Negara Brunei Darussalam</p>	<p>Carambola fruit fly (<i>Bactrocera carambolae</i> Drew & Hancock)</p>

<p>(2) <i>Alangium griffithii</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona muricata</i> (5) <i>Arenga pinnata</i> (6) <i>Artocarpus</i> spp. (7) <i>Averrhoa bilimbi</i> (8) <i>Averrhoa carambola</i> (9) <i>Baccaurea motleyana</i> (10) <i>Bouea oppositifolia</i> (11) <i>Capsicum annuum</i> (12) <i>Carica papaya</i> (13) <i>Chrysophyllum cainito</i> (14) <i>Citrus</i> spp. (15) <i>Drypetes longifolia</i> (16) <i>Eugenia</i> spp. (17) <i>Fagraea ceilanica</i> (18) <i>Ficus</i> spp. (19) <i>Fortunella margarita</i> (20) <i>Garcinia mangostana</i> (21) <i>Garcinia</i> spp. (22) <i>Knema angustifolia</i> (23) <i>Lansium domesticum</i> (24) <i>Lycopersicon esculentum</i> (25) <i>Malpighia</i> spp. (26) <i>Mangifera indica</i> (27) <i>Manilkara zapota</i> (28) <i>Mimusops elengi</i> (29) <i>Persea americana</i> (30) <i>Planchonella longipetiolatum</i> (31) <i>Pouteria campechiana</i> (32) <i>Psidium cattleianum</i> (33) <i>Psidium guajava</i> (34) <i>Punica granatum</i> (35) <i>Rhizophora</i> spp. (36) <i>Rhodomyrtus tomentosa</i> (37) <i>Rollinia pulchrinervis</i> (38) <i>Sandoricum koetjape</i> (39) <i>Syzygium aqueum</i> (40) <i>Syzygium</i> spp. (41) <i>Terminalia</i> spp. (42) <i>Thevetia peruviana</i> (43) <i>Triphasia trifolia</i> (44) <i>Uvaria grandiflora</i> (45) <i>Xanthophyllum amoenum</i> (46) <i>Ziziphus jujuba</i></p>	<p>(3) Indonesia (4) Malaysia (5) Singapore (6) Thailand (7) Vietnam South America (8) Brazil (9) Guiana (10) Guyana (11) Surinam</p>	
<p>39. Fresh fruits of the following plants: (1) <i>Adenathera pavonina</i> (2) <i>Aglaia</i> spp. (3) <i>Alpinia mutica</i></p>	<p>Asia and Pacific Region (1) Negara Brunei Darussalam (2) Christmas Island (3) Indonesia (4) Malaysia</p>	<p>Papaya fruit fly (<i>Bactrocera papayae</i> Drew & Hancock)</p>

<p>(4) <i>Anacardium occidentale</i> (5) <i>Annona</i> spp. (6) <i>Antidesma ghaesembilla</i> (7) <i>Ardisia crenata</i> (8) <i>Areca catechu</i> (9) <i>Arenga pinnata</i> (10) <i>Arenga westerhoutii</i> (11) <i>Artocarpus</i> spp. (12) <i>Averrhoa bilimbi</i> (13) <i>Averrhoa carambola</i> (14) <i>Azadirachta excelsa</i> (15) <i>Baccaurea motleyana</i> (16) <i>Borassus flabellifer</i> (17) <i>Bouea macrophylla</i> (18) <i>Bouea oppositifolia</i> (19) <i>Breynia reclinata</i> (20) <i>Callicarpa longifolia</i> (21) <i>Careya sphaerica</i> (22) <i>Carica papaya</i> (23) <i>Carissa carandas</i> (24) <i>Caryota mitis</i> (25) <i>Celtis tetranda</i> (26) <i>Chrysophyllum cainito</i> (27) <i>Cissus repens</i> (28) Citrus plant (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (29) <i>Clausena lansium</i> (30) <i>Coccinia grandis</i> (31) <i>Coffea arabica</i> (32) <i>Coffea canephora</i> (33) <i>Cordia dentata</i> (34) <i>Crinum asiaticum</i> (35) <i>Cucumis sativus</i> (36) <i>Desmos chinensis</i> (37) <i>Dillenia obovata</i> (38) <i>Diospyros</i> spp. (39) <i>Dovyalis hebecarpa</i> (40) <i>Ehretia microphylla</i> (41) <i>Eriobotrya japonica</i> (42) <i>Eugenia</i> spp. (43) <i>Excoecaria agallocha</i> (44) <i>Fagraea ceilanica</i> (45) <i>Fibraurea tinctoria</i> (46) <i>Ficus</i> spp. (47) <i>Flacourtia rukam</i> (48) <i>Garcinia</i> spp. (49) <i>Gmelina</i> spp. (50) <i>Grewia paniculata</i> (51) <i>Gymnopetalum integrifolium</i></p>	<p>(5) Papua New Guinea (6) Singapore (7) Thailand (8) Vietnam</p>	
--	---	--

<p>(52) <i>Holigarna kurzii</i> (53) <i>Horsfieldia subglobosa</i> (54) <i>Ixora javanica</i> (55) <i>Knema</i> spp. (56) <i>Lansium domesticum</i> (57) <i>Lepisanthes</i> spp. (58) <i>Litsea glutinosa</i> (59) <i>Lycopersicon esculentum</i> (60) <i>Malpighia emarginata</i> = <i>M. glabra</i> (61) <i>Mangifera</i> spp. (62) <i>Manilkara zapota</i> (63) <i>Mimusops elengi</i> (64) <i>Momordica charantia</i> (65) <i>Morinda</i> spp. (66) <i>Morus alba</i> (67) <i>Muntingia calabura</i> (68) <i>Musa</i> spp. (69) <i>Nauclea orientalis</i> (70) <i>Nephelium lappaceum</i> (71) <i>Parkia speciosa</i> (72) <i>Passiflora</i> spp. (73) <i>Pereskia grandiflora</i> (74) <i>Persea americana</i> (75) <i>Phaseolus vulgaris</i> (76) <i>Polyalthia longifolia</i> (77) <i>Pouteria</i> spp. (78) <i>Premna serratifolia</i> (79) <i>Prunus persica</i> (80) <i>Psidium cattleianum</i> (81) <i>Punica granatum</i> (82) <i>Rollinia pulchrinervis</i> (83) <i>Terminalia</i> spp. (84) <i>Theobroma cacao</i> (85) <i>Thevetia peruviana</i> (86) <i>Sandoricum koetjape</i> (87) <i>Sapium</i> spp. (88) <i>Solanum</i> spp. (89) <i>Spondias</i> spp. (90) <i>Syzygium aqueum</i> (91) <i>Syzygium</i> spp. (92) <i>Uvaria grandiflora</i> (93) <i>Veitchia merrillii</i> (94) <i>Ziziphus</i> spp.</p>		
<p>40. Fresh fruits of the following plants: (1) <i>Artocarpus</i> spp. (2) <i>Averrhoa carambola</i> (3) <i>Carica papaya</i> (4) <i>Citrus reticulata</i> (5) <i>Mangifera indica</i></p>	<p>Asia and Pacific Region (1) Philippines</p>	<p><i>Bactrocera philippinensis</i> Drew & Hancock</p>

(6) <i>Manilkara zapota</i> (7) <i>Pouteria duklitan</i> (8) <i>Psidium guajava</i> (9) <i>Spondias</i> spp. (10) <i>Syzygium malaccensis</i>		
41. Fresh fruits of the following plants: (1) <i>Artocarpus</i> spp. (2) Citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (3) Coffee (<i>Coffea</i> spp.) (4) <i>Ficus</i> spp. (5) Mango (<i>Mangifera indica</i>) (6) Guava (<i>Psidium guajava</i>)	Asia and Pacific Region (1) India (2) Oman (3) Sri Lanka	<i>Bactrocera caryeae</i> (Kapoor)
42. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona glabra</i> (3) <i>Areca catechu</i> (4) <i>Artocarpus</i> spp. (5) <i>Averrhoa carambola</i> (6) <i>Carica papaya</i> (7) <i>Citrus maxima</i> (8) <i>Garcinia</i> spp. (9) <i>Mangifera indica</i> (10) <i>Persea americana</i> (11) <i>Psidium guajava</i> (12) <i>Punica granatum</i> (13) <i>Spondias</i> spp. (14) <i>Syzygium aromaticum</i> (15) <i>Syzygium jambos</i>	Asia and Pacific Region (1) Sri Lanka	<i>Bactrocera kandiensis</i> Drew & Hancock
43. Fresh fruits of the following plants: (1) <i>Baccaurea ramiflor</i> (2) Peach (<i>Prunus persica</i>) (3) Guava (<i>Psidium guajava</i>) (4) Pear (<i>Pyrus</i> spp.)	Asia and Pacific Region (1) Thailand	<i>Bactrocera pyrifoliae</i> Drew & Hancock
44. Entire or any part of banana plants (<i>Musa</i> spp.)	Asia and Pacific Region (1) India (2) Philippines (3) Samoa (4) Sri Lanka (5) Thailand (6) Vietnam	<i>Banana bract mosaic virus</i> (<i>Potyvirus</i>)
45. Entire or any part of banana plants (<i>Musa</i> spp.)	Asia and Pacific Region (1) Australia (2) India (3) Indonesia (4) Mainland	<i>Banana streak virus</i> (<i>Badnavirus</i>)

	<p>(5) Malaysia (6) New Caledonia (7) Papua New Guinea (8) Philippines (9) Sri Lanka (10) Thailand (11) Tonga (12) Vietnam (13) Western Samoa</p> <p style="text-align: center;">Africa</p> <p>(14) Benin (15) Cameroon (16) Cape Verde (17) Canary Islands (18) Cote d'Ivoire (19) Ghana (20) Guinea (21) Kenya (22) Madagascar (23) Malawi (24) Mauritius (25) Morocco (26) Nigeria (27) Rwanda (28) South Africa (29) Tanzania (30) Uganda</p> <p style="text-align: center;">Europe</p> <p>(31) Madeira island (Portugal)</p> <p style="text-align: center;">North America</p> <p>(32) United States (Florida and Virgin Islands)</p> <p style="text-align: center;">Central and South America</p> <p>(33) Belize (34) Colombia (35) Costa Rica (36) Cuba (37) Ecuador (38) Grenada (39) Guadeloupe (40) Honduras (41) Jamaica (42) Trinidad (43) Venezuela</p>	
<p>46. Entire or any part of the following plants(excluding flowers, fruits, seeds, shoots no more than 3 cm in diameter and seedlings with the largest trunk which no more than 3 cm in diameter):</p>	<p style="text-align: center;">Asia</p> <p>(1) Mainland (2) Korea, Democratic People's Republic of (3) Korea, Republic of</p> <p style="text-align: center;">Europe</p> <p>(4) Austria (Braunau)</p>	<p>Asian longhorned beetle (<i>Anoplophora glabripennis</i> (Motschulsky))</p>

<ul style="list-style-type: none"> (1) <i>Acer</i> spp. (2) <i>Aesculus</i> spp. (3) <i>Alnus</i> spp. (4) <i>Betula</i> spp. (5) <i>Citrus</i> spp. (6) <i>Elaeagnus angustifolia</i> (7) <i>Fraxinus</i> spp. (8) <i>Hibiscus</i> spp. (9) <i>Liriodendron tulipifera</i> (10) <i>Malus</i> spp. (11) <i>Melia</i> spp. (12) <i>Morus</i> spp. (13) <i>Paulownia fortunei</i> (14) <i>Platanus</i> spp. (15) <i>Populus</i> spp. (16) <i>Prunus</i> spp. (17) <i>Pyrus</i> spp. (18) <i>Robinia</i> spp. (19) <i>Rosa</i> spp. (20) <i>Salix</i> spp. (21) <i>Sophora</i> spp. (22) <i>Ulmus</i> spp. 	<p>North America</p> <ul style="list-style-type: none"> (5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont)) (6) Canada (Ontario (Toronto and Vaughan)) 	
<p>47. Fresh fruits of mango plants</p>	<p>Asia and Pacific Region</p> <ul style="list-style-type: none"> (1) Bangladesh (2) Brunei (3) Chagos Islands (4) India (5) Indonesia (6) Malaysia (7) Marianas Islands (8) Myanmar (9) Papua New Guinea (10) Pakistan (11) Philippines (12) Thailand 	<p>Mango weevil (<i>Sternochetus frigidus</i> (Fabricius) = <i>Cryptorrhynchus gravis</i> (Fabricius))</p>
<p>48. Fresh fruits of the following plants:</p> <ul style="list-style-type: none"> (1) <i>Aronia arbutifolia</i> (2) <i>Chaenomeles japonica</i> (3) <i>Chaenomeles speciosa</i> (4) <i>Cornus mas</i> (5) <i>Crataegus</i> spp. (6) <i>Cydonia oblonga</i> (7) <i>Malus</i> spp. (8) <i>Phoenix dactylifera</i> (9) <i>Prunus americana</i> (10) <i>Prunus armeniaca</i> (11) <i>Prunus domestica</i> (12) <i>Prunus dulcis</i> = <i>P. amygdalus</i> (13) <i>Prunus mume</i> 	<p>Asia and Pacific Region</p> <ul style="list-style-type: none"> (1) Mainland (2) Japan (3) Korea, Democratic People's Republic of (4) Korea, Republic of (5) Russian Federation 	<p>Peach fruit moth (<i>Carposina sasakii</i> Matsumura= <i>Carposina niponensis</i> Walsingham)</p>

<p>(14) <i>Prunus persica</i> (15) <i>Prunus salicina</i> (16) <i>Pyrus</i> spp. (17) <i>Rosa</i> spp. (18) <i>Sorbus aucuparia</i> (19) <i>Sorbus commixta</i> (20) <i>Ziziphus jujuba</i></p>		
<p>49. Entire or any part of the following living plants (excluding flowers, fruits and seeds) :</p> <p>(1) <i>Abies</i> spp. (2) <i>Acer</i> spp. (3) <i>Adiantum aleuticum</i> (4) <i>Adiantum jordanii</i> (5) <i>Aesculus californica</i> (6) <i>Aesculus hippocastanum</i> (7) <i>Arbutus menziesii</i> (8) <i>Arbutus unedo</i> (9) <i>Arctostaphylos</i> spp. (10) <i>Ardisia japonica</i> (11) <i>Berberis iversifolia</i> = <i>Mahonia aquifolium</i> (12) <i>Calluna vulgaris</i> = <i>Erica vulgaris</i> (13) <i>Calycanthus occidentalis</i> (14) <i>Camellia</i> spp. (15) <i>Castanea sativa</i> (16) <i>Castanopsis orthacantha</i> (17) <i>Ceanothus thyrsiflorus</i> (18) <i>Cercis chinensis</i> (19) <i>Cinnamomum camphora</i> (20) <i>Clintonia andrewsiana</i> (21) <i>Cornus kousa</i> x <i>C. capitata</i> (22) <i>Corylopsis spicata</i> (23) <i>Corylus cornuta</i> (24) <i>Distylium myricoides</i> (25) <i>Drimys winteri</i> (26) <i>Dryopteris arguta</i> (27) <i>Eucalyptus haemastoma</i> (28) <i>Euonymus kiautschovicus</i> (29) <i>Fagus sylvatica</i> (30) <i>Frangula californica</i> = <i>Rhamnus californica</i> (31) <i>Frangula purshiana</i> = <i>Rhamnus purshiana</i> (32) <i>Fraxinus excelsior</i> (33) <i>Fraxinus latifolia</i> (34) <i>Garrya elliptica</i> (35) <i>Gaultheria shallon</i></p>	<p style="text-align: center;">Europe</p> <p>(1) Belgium (2) Channel Island(British) (3) Denmark (4) France (5) Germany (6) Ireland (7) Italy (8) Netherlands (9) Norway (10) Poland (11) Slovenia (12) Spain (13) Sweden (14) Switzerland (15) United Kingdom</p> <p style="text-align: center;">North America</p> <p>(16) Canada(British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge)) (17) United States (California, Florida, Georgia, Oregon and Washington)</p>	<p><i>Phytophthora ramorum</i> Werres, De Cock & Man in't Veld</p>

<p>(36) <i>Griselinia littoralis</i> (37) <i>Hamamelis</i> spp. (38) <i>Heteromeles arbutifolia</i> (39) <i>Ilex purpurea</i> (40) <i>Kalmia</i> spp. (41) <i>Laurus nobilis</i> (42) <i>Leucothoe axillaris</i> (43) <i>Leucothoe fontanesiana</i> (44) <i>Lithocarpus densiflorus</i> (45) <i>Lonicera hispidula</i> (46) <i>Loropetalum chinense</i> (47) <i>Magnolia</i> spp. (48) <i>Maianthemum racemosum</i> = <i>Smilacina racemosa</i> (49) <i>Manglietia insignis</i> (50) <i>Michelia</i> spp. (51) <i>Nerium oleander</i> (52) <i>Nothofagus obliqua</i> (53) <i>Osmanthus</i> spp. (54) <i>Osmorhiza berteroi</i> (55) <i>Parakmeria lotungensis</i> (56) <i>Parrotia persica</i> (57) <i>Photinia fraseri</i> (58) <i>Physocarpus opulifolius</i> (59) <i>Pieris</i> spp. (60) <i>Pittosporum undulatum</i> (61) <i>Prunus laurocerasus</i> (62) <i>Prunus lusitanica</i> (63) <i>Pseudotsuga menziesii</i> (64) <i>Pyracantha koidzumii</i> (65) <i>Quercus</i> spp. (66) <i>Rhododendron</i> spp. (67) <i>Rosa gymnocarpa</i> (68) <i>Rosa rugosa</i> (69) <i>Rubus spectabilis</i> (70) <i>Salix caprea</i> (71) <i>Schima wallichii</i> (72) <i>Sequoia sempervirens</i> (73) <i>Syringa vulgaris</i> (74) <i>Taxus</i> spp. (75) <i>Torreya californica</i> (76) <i>Toxicodendron diversilobum</i> (77) <i>Trientalis latifolia</i> (78) <i>Umbellularia californica</i> (79) <i>Vaccinium ovatum</i> (80) <i>Vancouveria planipetala</i> (81) <i>Viburnum</i> spp.</p>		
<p>50. Entire or any part of the following plants (excluding fruits and seeds) :</p>	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Armenia (2) Azerbaijan (3) Belarus</p>	<p>Fire blight (<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i>)</p>

<p>(1) <i>Amelanchier</i> spp. (2) <i>Aronia</i> spp. (3) <i>Chaenomeles</i> spp. (4) <i>Cotoneaster</i> spp. (5) <i>Crataegomespilus</i> spp. (6) <i>Crataegus</i> spp. (7) <i>Cydonia</i> spp. (8) <i>Dichotomanthes</i> spp. (9) <i>Docynia</i> spp. (10) <i>Eriobotrya japonica</i> (11) <i>Malus</i> spp. (12) <i>Mespilus</i> spp. (13) <i>Osteomeles</i> spp. (14) <i>Peraphyllum</i> spp. (15) <i>Photinia</i> spp. (<i>Heteromeles</i> spp.) (16) <i>Prunus</i> spp. (17) <i>Pyracantha</i> spp. (18) <i>Pyrus</i> spp. (19) <i>Raphiolepis</i> spp. (20) <i>Rubus</i> spp. (21) <i>Sorbus</i> spp. (22) <i>Spiraea</i> spp. (23) <i>Stranvaesia</i> spp.</p>	<p>(4) Mainland (excluding Shantung) (5) Georgia (6) India (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) New Zealand (14) Russian Federation (15) Saudi Arabia (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan (21) Vietnam Africa (22) Egypt Europe (23) Albania (24) Austria (25) Belgium (26) Bosnia and Herzegovina (27) Bulgaria (28) Croatia (29) Czech (30) Cyprus (31) Denmark (32) Estonia (33) France (34) Germany (35) Greece (36) Hungary (37) Ireland (38) Italy (39) Latvia (40) Lithuania (41) Luxembourg (42) Macedonia (43) Netherlands (44) Norway (45) Poland (46) Romania (47) Serbia and Montenegro (48) Slovakia (49) Spain (50) Sweden (51) Switzerland (52) United Kingdom</p>	
--	---	--

	<p style="text-align: center;">North America</p> (53) Canada (54) Mexico (55) United States <p style="text-align: center;">Central and South America</p> (56) Bermuda (57) Brazil (58) Guatemala (59) Venezuela	
51. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona</i> spp. (3) <i>Capsicum</i> spp. (4) <i>Carica papaya</i> (5) <i>Casimiroa</i> spp. (6) <i>Citrus</i> spp. (7) <i>Coffea arabica</i> (8) <i>Cydonia oblonga</i> (9) <i>Diospyros kaki</i> (10) <i>Eriobotrya japonica</i> (11) <i>Feijoa sellowiana</i> (12) <i>Ficus</i> spp. (13) <i>Fortunella</i> spp. (14) <i>Inga</i> spp. (15) <i>Lycopersicum esculentum</i> (16) <i>Malus</i> spp. (17) <i>Mammea</i> spp. (18) <i>Mangifera indica</i> (19) <i>Manilkara zapota</i> = <i>Achras sapota</i> (20) <i>Mastichodendron capiri</i> (21) <i>Passiflora edulis</i> (22) <i>Persea americana</i> (23) <i>Poncirus</i> spp. (24) <i>Pouteria</i> spp. (25) <i>Prunus</i> spp. (26) <i>Psidium</i> spp. (27) <i>Punica granatum</i> (28) <i>Pyrus</i> spp. (29) <i>Sargentia greggii</i> (30) <i>Spondias</i> spp. (31) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.	<p style="text-align: center;">North America</p> (1) Mexico (2) United States(Texas) <p style="text-align: center;">Central and South America</p> (3) Belize (4) Costa Rica (5) El Salvador (6) Guatemala (7) Honduras (8) Nicaragua	Mexican fruit fly (<i>Anastrepha ludens</i> (Loew))
52. Fresh fruits of the following plants: (1) <i>Ampelocera hottlei</i> (2) <i>Anacardium occidentale</i> (3) <i>Annona glabra</i> (4) <i>Annona hayesii</i> (5) <i>Averrhoa carambola</i>	<p style="text-align: center;">North America</p> (1) Mexico <p style="text-align: center;">Central and South America</p> (2) Antigua and Barbuda (3) Argentina (4) Bahamas (5) Barbados	West Indian fruit fly (<i>Anastrepha obliqua</i> Macquart = <i>A. mombinpraeoptans</i> Sein)

<p>(6) <i>Brosimum alicastrum</i> (7) <i>Capsicum annum</i> (8) <i>Citrus</i> spp. (9) <i>Chrysobalanus icaco</i> (10) <i>Coffea arabica</i> (11) <i>Couma guianensis</i> (12) <i>Diospyros</i> spp. (13) <i>Dovyalis hebecarpa</i> (14) <i>Eriobotrya japonica</i> (15) <i>Fortunella</i> spp. (16) <i>Malpighia glabra</i> (17) <i>Mangifera indica</i> (18) <i>Manilkara zapota</i> = <i>Achras sapota</i> (19) <i>Myrcia eximia</i> (20) <i>Myrciaria cauliflora</i> (21) <i>Myrciaria dubia</i> (22) <i>Passiflora edulis</i> (23) <i>Passiflora quadrangulari</i> (24) <i>Poncirus</i> spp. (25) <i>Pouteria</i> spp. (26) <i>Prunus</i> spp. (27) <i>Psidium</i> spp. (28) <i>Pyrus communis</i> (29) <i>Spondias</i> spp. (30) <i>Syzygium</i> spp. = <i>Eugenia</i> spp. (31) <i>Terminalia catappa</i> (32) <i>Vitis vinifera</i></p>	<p>(6) Belize (7) Brazil (8) Virgin Islands (British) (9) Costa Rica (10) Colombia (11) Cuba (12) Dominica (13) Dominican Republic (14) Ecuador (15) Grenada (16) Guadeloupe (17) Guatemala (18) Guyana (19) Haiti (20) Honduras (21) Jamaica (22) Martinique (23) Montserrat (24) Nicaragua (25) Panama (26) Paraguay (27) Peru (28) Puerto Rico (29) Saint Christopher & Nevis (30) Saint Lucia (31) Saint Vincent and the Grenadines (32) Suriname (33) Trinidad and Tobago (34) Virgin Islands (United States) (35) Venezuela</p>	
<p>53. Fresh fruits of the following plants :</p> <p>(1) <i>Actinidia chinensis</i> (2) <i>Ampelocera hottlei</i> (3) <i>Annona</i> spp. (4) <i>Averrhoa carambola</i> (5) <i>Citrus</i> spp. (6) <i>Chrysophyllum gonocarpum</i> (7) <i>Coffea arabica</i> (8) <i>Coffea liberica</i> (9) <i>Cydonia oblonga</i> (10) <i>Diospyros</i> spp. (11) <i>Dovyalis hebecarpa</i> (12) <i>Eriobotrya japonica</i> (13) <i>Feijoa sellowiana</i> (14) <i>Ficus carica</i> (15) <i>Fortunella</i> spp. (16) <i>Fragaria vesca</i> (17) <i>Inga</i> spp. (18) <i>Juglans</i> spp.</p>	<p style="text-align: center;">North America</p> <p>(1) Mexico</p> <p style="text-align: center;">Central and South America</p> <p>(2) Antigua and Barbuda (3) Argentina (4) Bahamas (5) Barbados (6) Bolivia (7) Brazil (8) Colombia (9) Costa Rica (10) Cuba (11) Dominica (12) Dominican Republic (13) Ecuador (14) Grenada (15) Guatemala (16) Guyana (17) Haiti (18) Jamaica</p>	<p>South American fruit fly (<i>Anastrepha fraterculus</i>(Wiedemann))</p>

<p>(19) <i>Malus</i> spp. (20) <i>Mangifera indica</i> (21) <i>Manilkara zapota</i>=<i>Achras sapota</i> (22) <i>Myrcianthes pungens</i> (23) <i>Olea europaea</i> (24) <i>Passiflora caerulea</i> (25) <i>Persea americana</i> (26) <i>Phyllanthus acidus</i> (27) <i>Poncirus</i> spp. (28) <i>Pouteria obovata</i> (29) <i>Prunus</i> spp. (30) <i>Psidium</i> spp. (31) <i>Punica granatum</i> (32) <i>Pyrus</i> spp. (33) <i>Solanum quitoense</i> (34) <i>Spondias</i> spp. (35) <i>Syzygium</i> spp.=<i>Eugenia</i> spp. (36) <i>Terminalia catappa</i> (37) <i>Theobroma cacao</i> (38) <i>Turpinia paniculata</i> (39) <i>Vitis vinifera</i> (40) <i>Ximenia americana</i></p>	<p>(19) Nicaragua (20) Panama (21) Paraguay (22) Peru (23) Puerto Rico (24) Saint Christopher & Nevis (25) Saint Lucia (26) Saint Vincent and the Grenadines (27) Suriname (28) Trinidad and Tobago (29) Uruguay (30) Venezuela</p>	
<p>54. Fresh fruits of the following plants :</p> <p>(1) <i>Alchornea latifolia</i> (2) <i>Annona</i> spp. (3) <i>Byrsonima crassifolia</i> (4) <i>Capsicum annuum</i> (5) <i>Carica papaya</i> (6) <i>Carissa macrocarpa</i> (7) <i>Citrofortunella x mitis</i> (8) <i>Citrus</i> spp. (9) <i>Cydonia oblonga</i> (10) <i>Diospyros digyna</i> (11) <i>Dovyalis hebecarpa</i> (12) <i>Eriobotrya japonica</i> (13) <i>Eugenia uniflora</i> (14) <i>Fortunella</i> spp. (15) <i>Lacmellea panamensis</i> (16) <i>Lycopersicon esculentum</i> (17) <i>Malus</i> spp. (18) <i>Mammea americana</i> (19) <i>Mangifera indica</i> (20) Moraceae (21) <i>Persea americana</i> (22) <i>Poncirus</i> spp. (23) <i>Prunus avium</i> (24) <i>Prunus persica</i> (25) <i>Psidium guajava</i> (26) <i>Pyrus</i> spp.</p>	<p style="text-align: center;">North America</p> <p>(1) Mexico</p> <p style="text-align: center;">Central and South America</p> <p>(2) Argentina (3) Brazil (4) Colombia (5) Costa Rica (6) Dominica (7) Dominican Republic (8) Ecuador (9) French Guiana (10) El Salvador (11) Guatemala (12) Guyana (13) Honduras (14) Netherlands Antilles (15) Nicaragua (16) Panama (17) Peru (18) Suriname (19) Trinidad and Tobago (20) Venezuela</p>	<p>Black fruit fly (<i>Anastrepha serpentina</i> Wiede-mann)</p>

<p>(27) Sapotaceae (28) <i>Spondias</i> spp. (29) <i>Syzygium malaccense</i> (30) <i>Terminalia catappa</i></p>		
<p>55. Living materials for propagative purpose of the following plants (excluding seeds) :</p> <p>(1) <i>Acacia longifolia</i> (2) <i>Acer</i> spp. (3) <i>Aesculus californica</i> (4) <i>Alnus rhombifolia</i> (5) <i>Ampelopsis arborea</i> (6) <i>Artemisia douglasiana</i> (7) <i>Avena fatua</i> (8) <i>Baccharis pilularis</i> (9) <i>Baccharis salicifolia</i> (10) <i>Bromus</i> spp. (11) <i>Callicarpa americana</i> (12) <i>Callistephus chinensis</i> (13) <i>Canna</i> spp. (14) <i>Chenopodium ambrosioides</i> (15) <i>Chenopodium quinoa</i> (16) <i>Citrus</i> spp. (17) <i>Claytonia perfoliata</i> (18) <i>Coffea</i> spp. (19) <i>Conium maculatum</i> (20) <i>Coprosma baueri</i> (21) <i>Cotoneaster rotundifolia</i> (22) <i>Cynodon dactylon</i> (23) <i>Cyperus eragrostis</i> (24) <i>Cyperus esculentus</i> (25) <i>Cytisus scoparius</i> (26) <i>Daucus carota</i> var. <i>sativa</i> (27) <i>Digitaria sanguinalis</i> (28) <i>Duranta repens</i> (29) <i>Echinochloa crusgalli</i> (30) <i>Epilobium californicum</i> (31) <i>Epilobium paniculatum</i> (32) <i>Eragrostis diffusa</i> (33) <i>Erodium cicutarium</i> (34) <i>Escallonia montevidensis</i> (35) <i>Eugenia myrtifolia</i> (36) <i>Fortunella</i> spp. (37) <i>Fragaria californica</i> (38) <i>Franseria acanthicarpa</i> (39) <i>Fraxinus dipetala</i> (40) <i>Fraxinus latifolia</i> (41) <i>Fuchsia magellanica</i> (42) <i>Genista monspessulana</i> (43) <i>Hedera helix</i> (44) <i>Heteromeles arbutifolia</i></p>	<p style="text-align: center;">North America</p> <p>(1) United States</p> <p style="text-align: center;">Central and South America</p> <p>(2) Argentina (3) Brazil (4) Costa Rica (5) Paraguay (6) Venezuela</p>	<p><i>Xylella fastidiosa</i></p>

<p>(45) <i>Hordeum murinum</i> (46) <i>Hordeum vulgare</i> (47) <i>Hydrangea paniculata</i> (48) <i>Lactuca serriola</i> (49) <i>Lathyrus</i> spp. (50) <i>Liquidambar styraciflua</i> (51) <i>Lolium multiflorum</i> (52) <i>Lolium temulentum</i> (53) <i>Lonicera japonica</i> (54) <i>Majorana hortensis</i> (55) <i>Medicago hispida</i> (56) <i>Medicago sativa</i> (57) <i>Melilotus</i> spp. (58) <i>Melissa officinalis</i> (59) <i>Mentha</i> spp. (60) <i>Morus alba</i> (61) <i>Nerium oleander</i> (62) <i>Oenanthe sarmentosa</i> (63) <i>Oenothera hookeri</i> (64) <i>Parthenocissus</i> <i>quinquefolia</i> (65) <i>Parthenocissus tricuspidata</i> (66) <i>Paspalum dilatatum</i> (67) <i>Pelargonium hortorum</i> (68) <i>Pennisetum clandestinum</i> (69) <i>Phalaris minor</i> (70) <i>Phalaris paradoxa</i> (71) <i>Phleum pratense</i> (72) <i>Pittosporum crassifolium</i> (73) <i>Platanus occidentalis</i> (74) <i>Poa annua</i> (75) <i>Polygonum convolvulus</i> (76) <i>Polygonum persicaria</i> (77) <i>Poncirus</i> spp. (78) <i>Populus fremontii</i> (79) <i>Portulaca oleracea</i> (80) <i>Prunus</i> spp. (81) <i>Quercus agrifolia</i> (82) <i>Quercus lobata</i> (83) <i>Reseda odorata</i> (84) <i>Rosa californica</i> (85) <i>Rosmarinus officinalis</i> (86) <i>Rubus</i> spp. (87) <i>Rumex crispus</i> (88) <i>Sambucus canadensis</i> (89) <i>Sambucus mexicana</i> (90) <i>Setaria lutescens</i> (91) <i>Sonchus asper</i> (92) <i>Sorghum halepense</i> (93) <i>Sorghum vulgare</i> (94) <i>Symphoricarpos albus</i></p>		
--	--	--

<p>(95) <i>Syringa vulgaris</i> (96) <i>Toxicodendron diversilobum</i> (97) <i>Trifolium</i> spp. (98) <i>Ulmus</i> spp. (99) <i>Umbellularia californica</i> (100) <i>Urtica dioica</i> (101) <i>Veronica</i> spp. (102) <i>Vicia faba</i> (103) <i>Vicia monathus</i> (104) <i>Vinca major</i> (105) <i>Vitis</i> spp. (106) <i>Vulpia myuros</i> var. <i>hirsuta</i> (107) <i>Xanthium strumarium</i></p>		
--	--	--

2. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the country or district listed in the table, they will be treated as prohibited plants or plant products.
3. To apply for importation of plant or plant product for the first time from a country or district where is in the immediate vicinity of a quarantine pest area, and has similar climate and crops to those of the area, but has insufficient reports or no report at all about the pest status, the importer or the agent shall submit information as follows to obtain approval for the importation from the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, Executive Yuan.(BAPHIQ)
 - 3.1 The official survey data and the general surveillance record of the pests. The duration of survey shall be in compliance with the time period required in the “Procedures for Recognition of Pest Free Areas.”
 - 3.2 The information of cultivation management of the plant/plant product, including producing areas, yield, harvest season and the post-harvest process.
 - 3.3 The pest list of the plant/plant product, including the information of pest control and the list of chemical used.
 - 3.4 The export inspection procedure and the procedure of issuing the Phytosanitary Certificate.
After the document review is cleared, if necessary, BAPHIQ will dispatch quarantine officers to conduct an on-site inspection of the exporting country. When the country or district is approved as pest free area and the pest risk assessment of the plant/plant product is also approved, BAPHIQ will then permit the importation of plant/plant product from the country or district, in accordance with import quarantine requirements.
4. Hong Kong, Singapore and Macau are free ports and therefore regarded as countries or districts where plants or plant products are prohibited to import.
5. Whoever intends to import designated fresh fruit for the first time from a country or district where the Mediterranean fruit fly is known to occur has to apply for approval of importation from BAPHIQ and submit information as follow.
 - 5.1 The information of cultivation management of the designated fresh fruit, including producing areas, yield, harvest season and the post-harvest process.
 - 5.2 The pest list of the designated fresh fruit, including the information of pest control and the list of chemical used.
 - 5.3 The last one year data of status of Mediterranean fruit fly including population density survey record of Mediterranean fruit fly, and the official control projects, regulation and control result of Mediterranean fruit fly.
 - 5.4 The export inspection procedure and the procedure of issuance the Phytosanitary Certificate.
If the document review is cleared, BAPHIQ will then dispatch quarantine officers to

conduct an on-site inspection for verification and inspection of quarantine measures. If the measures are in compliance with the quarantine requirements, BAPHIQ will permit the importation of the fresh fruit from the country or district, in accordance with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where the Mediterranean Fruit Fly Is Known to Occur.”

B. Quarantine Requirements for Enterable Plants or Plant Products under Precautionary Requirements

Pursuant to Paragraph 2, Article 16, Plant Protection and Quarantine Act

1. Names of enterable plants or plant products, countries or districts of their origin, and entry requirements.

Plants or Plant Products	Countries or Districts of Origin	Diseases or Pests	Quarantine Requirements
<p>1. Fresh fruits of the following plants:</p> <p>(1) <i>Cydonia oblonga</i></p> <p>(2) <i>Juglans regia</i></p> <p>(3) <i>Malus spp.</i></p> <p>(4) <i>Prunus armeniaca</i></p> <p>(5) <i>Prunus avium</i></p> <p>(6) <i>Prunus domestica</i></p> <p>(7) <i>Prunus dulcis</i></p> <p>(8) <i>Prunus persica</i> var. <i>nucipersica</i></p> <p>(9) <i>Prunus persica</i> var. <i>persica</i></p> <p>(10) <i>Prunus salicina</i></p> <p>(11) <i>Punica granatum</i></p> <p>(12) <i>Pyrus spp.</i></p>	<p>Asia and Pacific Region</p> <p>(1) Afghanistan</p> <p>(2) Armenia</p> <p>(3) Australia</p> <p>(4) Azerbaijan</p> <p>(5) Belarus</p> <p>(6) Cyprus</p> <p>(7) Georgia</p> <p>(8) India</p> <p>(9) Iran</p> <p>(10) Iraq</p> <p>(11) Israel</p> <p>(12) Jordan</p> <p>(13) Kazakhstan</p> <p>(14) Kyrgyz</p> <p>(15) Lebanon</p> <p>(16) Mainland</p> <p>(17) Moldova</p> <p>(18) Myanmar</p> <p>(19) New Zealand</p> <p>(20) Pakistan</p> <p>(21) Russian Federation</p> <p>(22) Saudi Arabia</p> <p>(23) Syrian Arab</p> <p>(24) Tajikistan</p> <p>(25) Turkey</p> <p>(26) Turkmenistan</p> <p>(27) Ukraine</p> <p>(28) Uzbekistan</p> <p>Africa</p> <p>(29) All countries and districts in Africa</p> <p>Europe</p> <p>(30) All countries and districts in Europe</p> <p>North America</p> <p>(31) Canada</p> <p>(32) United States (excluding Hawaii)</p> <p>Central and South America</p> <p>(33) Argentina</p>	<p>Codling moth (<i>Cydia pomonella</i> L.)</p>	<p>1. The importation of apples shall be in compliance with the following requirements:</p> <p>(1) Fresh apple from New Zealand should be in compliance with “Quarantine Requirements for The Importation of Apples from New Zealand”</p> <p>(2) Fresh apple from other countries should be in compliance with “Quarantine Requirements for The Importation of Apples from Countries or Districts Where The Codling Moth Is Known to Occur.”</p> <p>(3) Fresh apple from French should be in compliance with “Quarantine Requirements for The Importation of Apples from French”</p> <p>(4) Fresh apple from Australia should be in compliance with “Quarantine Requirements for The Importation of Apples from Australia”</p> <p>(5) Fresh apple from other countries should be in compliance with “Quarantine Requirements for The Importation of Apples from Countries or Districts Where The Codling Moth Is Known</p>

	(34) Bolivia (35) Brazil (36) Chile (37) Colombia (38) Peru (39)Uruguay		to Occur.” 2.Fresh fruits other than apple, when imported, shall be accompanied by phytosanitary certificates issued by the plant quarantine authority of exporting countries, stating that the fruits have been thoroughly inspected and found free from <i>Cydia pomonella</i> L., or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
2.Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Gaylussacia baccata</i> (3) <i>Malus pumila</i> (4) <i>Malus sylvestris</i> (5) <i>Prunus armeniaca</i> (6) <i>Prunus avium</i> (7) <i>Prunus cerasus</i> (8) <i>Prunus persica</i> (9) <i>Prunus salicina</i> (10) <i>Pyracantha coccinea</i> (11) <i>Pyrus communis</i> (12) <i>Rosa rugosa</i> (13) <i>Rosa virginiana</i> (14) <i>Vaccinium</i> spp.	North America (1) Canada (2) United States Central and South America (3) Mexico	Apple maggot (<i>Rhagoletis pomonella</i> (Walsh))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Rhagoletis pomonella</i> (Walsh), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
3. (deleted)			
4. (deleted)			
5. (moved to A. 29)			
6. (deleted)			
7. Stems, leaves, buds, tubers, and fresh fruits of the following living plants : (1) <i>Beta vulgaris</i> var. <i>saccharifera</i> (2) Solanaceae	Asia and Pacific Region (1) Australia (2) Bangladesh (3) Mainland (4) Fiji (5) French Polynesia (6) Guam (7) India (8) Indonesia	Potato tuber moth (<i>Phthorimaea operculella</i> (Zeller))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting countries, stating that the plants or plant parts have been thoroughly inspected and found free

	<p>(9) Iraq (10) Israel (11) Japan (12) Jordan (13) Korea, Republic of (14) Lebanon (15) Marquesas Islands (16) Myanmar (17) Nepal (18) New Caledonia (19) New Zealand (20) Pakistan (21) Papua New Guinea (22) Philippines (23) Russian Federation (24) Saudi Arabia (25) Sri Lanka (26) Syria (27) Thailand (28) Turkey (29) Vietnam (30) Yemen</p> <p style="text-align: center;">Africa</p> <p>(31) Algeria (32) Burundi (33) Canary Islands (34) Democratic Republic of the Congo (35) Congo (36) Egypt (37) Ethiopia (38) Kenya (39) Lesotho (40) Liberia (41) Libya (42) Madagascar (43) Malawi (44) Mauritius (45) Morocco (46) Rwanda (47) Reunion (48) Saint Helena (49) Senegal (50) Seychelles (51) South Africa (52) Sudan (53) Swaziland (54) Tanzania (55) Tunisia (56) Zambia</p>		<p>from <i>Phthorimaea operculella</i> (Zeller); or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	--	--	--

	(57) Zimbabwe Europe (58) Albania (59) Bulgaria (60) Croatia (61) Cyprus (62) France (63) Greece (64) Italy (65) Malta (66) Portugal (67) Romania (68) Serbia and Montenegro (69) Slovenia (70) Spain North America (71) Canada (72) Mexico (73) United States Central and South America (74) Antigua and Barbuda (75) Argentina (76) Bermuda (77) Bolivia (78) Brazil (79) Chile (80) Colombia (81) Costa Rica (82) Cuba (83) Dominican Republic (84) Haiti (85) Jamaica (86) Netherlands Antilles (87) Paraguay (88) Peru (89) Puerto Rico (90) Saint Vincent and the Grenadines (91) Uruguay (92) Venezuela		
8. Stems and leaves of living Solanaceae plants	Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland	Colorado beetle (<i>Leptinotarsa decemlineata</i> Say)	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of

	<p>(5) Georgia (6) Iran (7) Iraq (8) Kazakhstan (9) Kyrgyz (10) Moldova (11) Russian Federation (12) Tajikistan (13) Turkey (14) Turkmenistan (15) Ukraine (16) Uzbekistan</p> <p style="text-align: center;">Europe</p> <p>(17) Albania (18) Andorra (19) Austria (20) Belgium (21) Bosnia and Herzegovina (22) Bulgaria (23) Croatia (24) Czech (25) Denmark (26) Estonia (27) France (28) Germany (29) Greece (30) Hungary (31) Italy (32) Latvia (33) Lithuania (34) Luxembourg (35) Macedonia (36) Montenegro (37) Netherlands (38) Poland (39) Portugal (40) Romania (41) Serbia (42) Slovak (43) Slovenia (44) Spain (45) Sweden (46) United Kingdom</p> <p style="text-align: center;">North America</p> <p>(47) Canada (48) Mexico (49) United States</p> <p style="text-align: center;">Central and South America</p> <p>(50) Cuba</p>		<p>exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Leptinotarsa decemlineata</i> Say; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	---	--	---

	(51) Guatemala		
9. Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Cydonia oblonga</i> (3) <i>Diospyros kaki</i> (4) <i>Fragaria ananassa</i> (5) <i>Gaylussacia baccata</i> (6) <i>Malus pumila</i> (<i>M. domestica</i>) (7) <i>Malus sylvestris</i> (8) <i>Prunus</i> spp. (9) <i>Pyrus</i> spp. (10) <i>Ribes</i> spp. (11) <i>Vaccinium</i> spp. (12) <i>Vitis vinifera</i>	North America (1) Canada (2) United States	Plum curculio (<i>Conotrachelus nenuphar</i> (Herbst))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Conotrachelus nenuphar</i> (Herbst), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
10. Underground portion of the following living plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Allium cepa</i> (3) <i>Apium graveolens</i> (4) <i>Arachis hypogaea</i> (5) <i>Avena sativa</i> (6) <i>Beta vulgaris</i> (7) <i>Brassica</i> spp. (8) <i>Calendula officinalis</i> (9) <i>Capsicum annum</i> (10) <i>Chrysanthemum morifillum</i> (11) <i>Citrus</i> spp. (12) <i>Corylus</i> spp. (13) Cucurbitaceae (14) <i>Dahlia hybrida</i> (15) <i>Daucus carota</i> (16) <i>Diospyros kaki</i> (17) <i>Fragaria ananassa</i> (18) <i>Glycine max</i> (19) <i>Gossypium arboreum</i> (20) <i>Ipomoea batatas</i>	Asia and Pacific Region (1) Australia (2) New Zealand Africa (3) Lesotho (4) South Africa (5) Swaziland North America (6) United States Central and South America (7) Argentina (8) Brazil (9) Chile (10) Peru (11) Uruguay	White fringed beetle (<i>Naupactus leucoloma</i> Boheman)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Naupactus leucoloma</i> (Boheman), or stating that the plants or plant parts have undergone an quarantine treatment prior to shipment.

<p>(21) <i>Iris</i> spp. (22) <i>Lens culnaris</i> (23) <i>Lolium perenne</i> (24) <i>Lycopersicum esculentum</i> (25) <i>Medicago sativa</i> (26) <i>Mucuna pruriens</i> (27) <i>Nicotiana tabacum</i> (28) <i>Phaseolus vulgaris</i> (29) <i>Raphanus sativus</i> L. (30) <i>Rubus palmatus</i> (31) <i>Solanum melongena</i> (32) <i>Solanum tuberosum</i> (33) <i>Trifolium</i> spp. (34) <i>Triticum aestivum</i> (35) <i>Vernicia fordii</i> = <i>Aleurites fordii</i> (36) <i>Zea mays</i> (37) <i>Zinnia elegans</i></p>			
<p>11. Entire or any part of the following living plants (excluding seeds): (1) <i>Cydonia oblonga</i> (2) <i>Malus</i> spp. (3) <i>Prunus</i> spp. (4) <i>Pyrus</i> spp.</p>	<p>Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (5) Georgia (6) India (7) Iran (8) Iraq (9) Israel (10) Kazakhstan (11) Kyrgyz (12) Lebanon (13) Moldova (14) Myanmar (15) Pakistan (16) Russian Federation (17) Syria (18) Tajikistan (19) Turkey (20) Turkmenistan (21) Ukraine (22) Uzbekistan Africa</p>	<p>Peach twig borer (<i>Anarsia lineatella</i> Zeller)</p>	<p>The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Anarsia lineatella</i> Zeller; or stating that the plants or plant parts have undergone an quarantine treatment prior to shipment.</p>

	(23) Algeria (24) Egypt (25) Libyan (26) Morocco (27) Tunisia Europe (28) All countries and districts in Europe North America (29) Canada (30) United States		
12. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	Asia and Pacific Region (1) Mainland (2) Japan (3) Fiji (4) Korea, Democratic People's Republic (5) Korea, Republic of Europe (6) France	Arrow head scale (<i>Unaspis yanonensis</i> (Kuwana))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Unaspis yanonensis</i> (Kuwana) or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
13. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	Asia and Pacific Region (1) India	<i>Throscoryssa citri</i> Maulik	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Throscoryssa citri</i> Maulik; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
14. Entire or any part of living plants (excluding seeds and underground portion) (1) <i>Aesculus</i> spp. (2) <i>Allium</i> spp.	Asia and Pacific Region (1) Australia (2) Mainland (3) Georgia (4) Indonesia (5) Israel	Western flower thrip (<i>Frankliniella occidentalis</i> (Pergande))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating

<p>(3) <i>Alnus</i> spp. (4) <i>Amaryllis</i> spp. = <i>Hippeastrum</i> spp. (5) <i>Alstroemeria</i> spp. (6) <i>Althaea</i> spp. (7) <i>Amaranthus</i> spp. (8) <i>Anagallis arvensis</i> (9) <i>Anthurium</i> spp. (10) <i>Antirrhinum</i> <i>majus</i> (11) <i>Asclepias</i> spp. (12) <i>Asparagus</i> <i>officinalis</i> (13) <i>Begonia</i> spp. (14) <i>Berzelia</i> spp. (15) <i>Bougainvillea</i> <i>spectabilis</i> (16) <i>Bouvardia</i> spp. (17) Brassicaceae (18) <i>Brunia laevis</i> (19) <i>Calceolaria</i> spp. (20) <i>Calluna vulgaris</i> = <i>Erica vulgaris</i> (21) <i>Calotropis</i> <i>gigantica</i> (22) <i>Carya illinoensis</i> (23) <i>Celastrus</i> spp. (24) <i>Celosia</i> spp. (25) <i>Cerastium</i> <i>glomeratum</i> (26) <i>Chamelaucium</i> spp. (27) Chenopodiaceae (28) <i>Citrus</i> spp. (29) <i>lematis</i> spp. (30) <i>Codiaeum</i> spp. (31) Compositae (32) Cucurbitaceae (33) <i>Cyclamen</i> spp. (34) <i>Dianthus</i> spp. (35) <i>Digitaria ciliaris</i> (36) <i>Diospyros kaki</i> (37) <i>Echinochloa</i> <i>crus-galli</i> (38) <i>Echium</i> <i>plantagineum</i> (39) <i>Eremurus</i> spp. (40) <i>Eschscholzia</i> <i>californica</i> (41) <i>Euphorbia</i> spp. (42) <i>Eustoma</i> spp. =</p>	<p>(6) Japan (7) Korea, Democratic People's Republic (8) Korea, Republic of (9) Kuwait (10) Malaysia (11) New Zealand (12) Russian Federation (13) Lebanon (14) Sri Lanka (15) Thailand (16) Turkey Africa (17) Canary Islands (18) Kenya (19) Lesotho (20) Reunion (21) South Africa (22) Swaziland (23) Zimbabwe Europe (24) All countries and districts in Europe North America (25) Canada (26) Mexico (27) United States Central and South America (28) Argentina (29) Brazil (30) Chile (31) Dominican Republic (32) Ecuador (33) Guatemala (34) Colombia (35) Costa Rica (36) French Guiana (37) Guyana (38) Martinique (39) Peru (40) Puerto Rico (41) Uruguay (42) Venezuela</p>		<p>that the plants or plant parts have been thoroughly inspected and found free from <i>Frankliniella</i> <i>occidentalis</i>; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
---	---	--	--

<p> <i>Lisianthus</i> spp. (43) <i>Ficus</i> spp. (44) <i>Freesia</i> spp. (45) <i>Fuchsia</i> spp. (46) <i>Gentiana</i> spp. (47) <i>Geranium</i> spp. (48) Gesneriaceae (49) <i>Gladiolus</i> spp. (50) <i>Gossypium</i> spp. (51) <i>Gypsophila</i> spp. (52) <i>Heliotropium</i> <i>europaeum</i> (53) <i>Hemerocallis</i> spp. (54) <i>Hibiscus</i> spp. (55) <i>Hordeum</i> spp. (56) <i>Hydrangea</i> spp. (57) <i>Hypericum</i> spp. (58) <i>Impatiens</i> spp. (59) <i>Ipomoea</i> spp. (60) <i>Iris</i> spp. (61) <i>Jasminum sambac</i> (62) <i>Kalanchoe</i> spp. (63) Labiatae (64) <i>Lantana</i> spp. (65) <i>Laurus</i> spp. (66) Leguminosae (67) <i>Leptospermum</i> spp. (68) <i>Leucospermum</i> spp. (69) <i>Lilium</i> spp. (70) <i>Limonium</i> spp. (71) <i>Linnaea borealis</i> (72) <i>Malva</i> spp. (73) <i>Mangifera indica</i> (74) <i>Mollugo</i> <i>verticillata</i> (75) <i>Oenothera</i> spp. (76) Orchidaceae (77) <i>Ornithogalum</i> spp. (78) <i>Oxalis</i> spp. (79) <i>Paeonia</i> spp. (80) <i>Papaver rhoeas</i> (81) <i>Pelargonium</i> spp. (82) <i>Persea</i> spp. (83) <i>Pistacia vera</i> (84) <i>Polianthes</i> spp. (85) <i>Portulaca</i> <i>grandiflora</i> </p>			
--	--	--	--

(86) <i>Primula</i> spp. (87) <i>Protea</i> spp. (88) <i>Punica granatum</i> (89) <i>Quercus</i> spp. (90) <i>Radermachera</i> spp. (91) <i>Ranunculus</i> spp. (92) <i>Rhododendron</i> spp. (93) <i>Rhus</i> spp. (94) Rosaceae (95) <i>Ruscus</i> spp. (96) <i>Salix</i> spp. (97) <i>Sandersonia aurantiaca</i> (98) <i>Schlumbergera</i> spp. (99) <i>Secale cereale</i> (100) <i>Serissa foetida</i> (101) <i>Setaria viridis</i> (102) <i>Shepherdia canadensis</i> (103) Solanaceae (104) <i>Stellaria</i> spp. (105) <i>Syzygium jambos</i> = <i>Eugenia jambos</i> (106) <i>Thryptomene</i> spp. (107) <i>TibouMainland</i> spp. (108) <i>Trachelium</i> spp. (109) <i>Tribulus terrestris</i> (110) <i>Triticum aestivum</i> (111) <i>Tropaeolum majus</i> (112) Umbelliferae (113) <i>Vaccinium</i> spp. (114) <i>Verbena</i> spp. (115) <i>Veronica</i> spp. (116) <i>Viburnum</i> spp. (117) <i>Viola tricolor</i> (118) <i>Vitis</i> spp. (119) <i>Yucca</i> spp. (120) <i>Zantedeschia</i> spp. (121) <i>Zea mays</i>			
15. (deleted)			
16. (deleted)			
17. Entire or any part	Asia and Pacific	Root (Wilt) disease	The importation of plants or

of living coconut palm	Region (1) South India	(<i>Phytomonas staheli</i> McGhee & McGhee)	plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytomonas staheli</i> McGhee & McGhee and originate from areas free from <i>Phytomonas staheli</i> McGhee & McGhee; otherwise, the plants or plant parts will be destroyed or reshipped.
18. Entire or any part of living coconut palm	Asia and Pacific Region (1) Sri Lanka	Leaf scorch disease	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from leaf scorch disease and originate from areas free from leaf scorch disease; otherwise, the plants or plant parts will be destroyed or returned.
19. Plants or plant parts: A. The importation of roots, stems, leaves and flowers of all living plants and the fresh fruit of strawberry, excluding the plants listed below, shall meet the quarantine requirements as specified: (1) Aizoaceae (excluding <i>Mollugo</i> spp.) (2) Araceae (3) Balsaminaceae	Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Australia (4) Belarus (5) Mainland (6) Georgia (7) India (8) Iran (9) Iraq (10) Israel (11) Japan (12) Jordan (13) Kazakhstan (14) Korea, Democratic People's Republic (15) Korea, Republic of	Stem nematode (<i>Ditylenchus dipsaci</i> (Kuhn) Filipjev)	The importation of the plants or plant parts shall be accompanied by phytosanitary certificates, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus dipsaci</i> (Kuhn) Filipjev, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

(4) Bombacaceae	(16) Kyrgyz		
(5) Bryophyta	(17) Lebanon		
(6) Cactaceae	(18) Moldova		
(7) Cornaceae	(19) Mongolia		
(excluding <i>Aucuba</i> spp.)	(20) New Zealand		
(8) Crassulaceae	(21) Oman		
(9) Edible fungus	(22) Pakistan		
(Basidiomycota and Ascomycota)	(23) Russian Federation		
(10) Elaeocarpaceae	(24) Syria		
(11) Ericaceae	(25) Tajikistan		
(12) Euphorbiaceae	(26) Turkey		
(excluding <i>Manihot</i> spp.)	(27) Turkmenistan		
(13) Fagaceae	(28) Thailand		
(14) Gymnospermae	(29) Ukraine		
(15) Lauraceae	(30) Uzbekistan		
(16) Moraceae	(31) Yemen		
(17) Nymphaeaceae	Africa		
(18) Oleaceae	(32) Algeria		
(excluding <i>Syringa</i> spp.)	(33) Egypt		
(19) Orchidaceae	(34) Kenya		
(20) Palmaceae	(35) Lesotho		
(21) Pandanaceae	(36) Libya		
(22) Plantaginaceae	(37) Morocco		
(excluding <i>Plantago</i> spp.)	(38) Reunion		
(23) Potamogetonaceae (excluding <i>Potamogeton</i> spp.)	(39) South Africa		
(24) Pteridophyte	(40) Swaziland		
(excluding <i>Equisetum</i> spp.)	(41) Tunisia		
(25) <i>Pyrus</i> spp.	Europe		
(26) Rubiaceae	(42) All countries and districts in Europe		
(excluding <i>Galium</i> spp.)	North America		
(27) Saxifragaceae	(43) Canada		
(excluding <i>Hydrangea</i> spp.)	(44) Mexico		
(28) Scrophulariaceae (excluding <i>Veronica</i> spp.)	(45) United States		
(29) Sterculiaceae	Central and South America		
(30) Urticaceae	(46) All countries and districts in Central and South America		
(excluding <i>Urtica</i> spp.)			
(31) Violaceae			

<p>(excluding <i>Viola</i> spp.) (32) Vitaceae(excluding <i>Vitis vinifera</i>) B. The importation of seeds of the following plants(except used as foods and feeds)shall meet the quarantine requirements as specified: (1) <i>Allium</i> spp. (2) <i>Beta vulgaris</i> (3) <i>Cucumis melo</i> (4) <i>Daucus carota</i> (5) <i>Dipsacus fullonum</i> (6) <i>Medicago sativa</i> (7) <i>Phaseolus coccineus</i> (8) <i>Phaseolus vulgaris</i> (9) <i>Phlox drummondii</i> (10) <i>Pisum sativum</i> (11) <i>Secale cereale</i> (12) <i>Spinacea oleracea</i> = <i>Spinacia oleracea</i> (13) <i>Trifolium hybridum</i> (14) <i>Trifolium pratense</i> (15) <i>Trifolium repens</i> (16) <i>Vicia faba</i></p>			
<p>20. Underground portion and adventitious roots of the following living plants shall meet the quarantine requirements as specified: (1) <i>Allium</i> spp. (2) <i>Amaranthus caudatus</i></p>	<p>Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Bangladesh (4) Belarus (5) Mainland (6) Georgia (7) Iran (8) Iraq (9) Israel</p>	<p>Potato rot nematode (<i>Ditylenchus destructor</i> Thorne)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus destructor</i></p>

(3) <i>Angelica sinensis</i>	(10) Japan		Thorne, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
(4) <i>Anthemis arvensis</i>	(11) Korea, Democratic People's Republic		
(5) <i>Apium graveolens</i>	(12) Korea, Republic of		
(6) <i>Arachis</i> spp. (including pods and seeds)	(13) Kazakhstan		
(7) <i>Artemisia vulgaris</i>	(14) Kyrgyz		
(8) <i>Barbarea vulgaris</i>	(15) Lebanon		
(9) <i>Begonia</i> spp.	(16) Malaysia	(72)	
(10) <i>Bellis perennis</i>	(17) Moldova		
(11) <i>Bertoroa incana</i>	(18) New Zealand		
(12) <i>Beta vulgaris</i>	(19) Pakistan		
(13) <i>Brassica oleracea</i>	(20) Saudi Arabia		
(14) <i>Brassica rapa</i> subsp. <i>chinensis</i>	(21) Russian Federation		
= <i>Brassica chinensis</i>	(22) Syria		
(15) <i>Camassia</i> spp.	(23) Tajikistan		
(16) <i>Camellia sinensis</i>	(24) Thailand		
(17) <i>Canna</i> spp.	(25) Turkey		
(18) <i>Capsella bursa-pastoris</i>	(26) Turkmenistan		
(19) <i>Capsicum annuum</i>	(27) Ukraine		
(20) <i>Chenopodium album</i>	(28) Uzbekistan		
(21) <i>Chionodoxa</i> spp.	Africa		
(22) <i>Chloris virgata</i>	(29) Algeria		
(23) <i>Chrysanthemum leucanthemum</i>	(30) Egypt		
(24) <i>Chrysanthemum morifolium</i>	(31) Lesotho		
(25) <i>Cicer arietinum</i>	(32) Libya		
(26) <i>Cimicifuga racemosa</i>	(33) Morocco		
(27) <i>Cirsium arvense</i>	(34) South Africa		
(28) <i>Citrullus lanatus</i>	(35) Swaziland		
(29) <i>Citrus sinensis</i>	(36) Tunisia		
(30) <i>Colchicum</i> spp.	Europe		
(31) <i>Crocus vernus</i>	(37) All countries and districts in Europe		
(32) <i>Cucumis sativus</i>	North America		
	(38) Canada		
	(39) Mexico		
	(40) United States		
	Central and South America		
	(41) Ecuador		
	(42) Peru		

(33) <i>Cucurbita moschata</i>			
(34) <i>Cucurbita pepo</i>			
(35) <i>Cyperus rotundus</i>			
(36) <i>Dahlia</i> spp.			
(37) <i>Datura stramonium</i>			
(38) <i>Daucus carota</i>			
(39) <i>Dianthus</i> spp.			
(40) <i>Eleusine indica</i>			
(41) <i>Elymus repens</i> = <i>Agropyron repens</i>			
(42) <i>Erythronium denscanis</i>			
(43) <i>Festuca pratensis</i>			
(44) <i>Fragaria</i> spp.			
(45) <i>Fumaria officinalis</i>			
(46) <i>Gladiolus</i> spp.			
(47) <i>Glycine max</i>			
(48) <i>Helianthus annuus</i>			
(49) <i>Hordeum vulgare</i>			
(50) <i>Humulus lupulus</i>			
(51) <i>Hyacinthus</i> spp.			
(52) <i>Ipomoea batatas</i>			
(53) <i>Iris</i> spp.			
(54) <i>Lathyrus hirsutus</i>			
(55) <i>Lathyrus latifolius</i>			
(56) <i>Liatris spicata</i>			
(57) <i>Linaria vulgaris</i>			
(58) <i>Lycopersicon esculentum</i>			
(59) <i>Lycopsis arvensis</i>			
(60) <i>Matricaria inodora</i> = <i>M. perforata</i>			
(61) <i>Medicago sativa</i>			
(62) <i>Melilotus officinalis</i>			
(63) <i>Mentha</i>			

<p><i>arvensis</i></p> <p>(64) <i>Narcissus</i> spp.</p> <p>(65) <i>Nectaroscordum</i> spp.</p> <p>(66) <i>Nicotiana tabacum</i></p> <p>(67) <i>Panax ginseng</i></p> <p>(68) <i>Pastinaca sativa</i></p> <p>(69) <i>Phaseolus vulgaris</i></p> <p>(70) <i>Plantago major</i></p> <p>(71) <i>Portulaca</i> spp.</p> <p>(72) <i>Potentilla anserina</i></p> <p>(73) <i>Raphanus sativus</i></p> <p>(74) <i>Rheum rhaponticum</i></p> <p>(75) <i>Rumex</i> spp.</p> <p>(76) <i>Saccharum officinarum</i></p> <p>(77) <i>Sisyrinchium angustifolium</i></p> <p>(78) <i>Solanum</i> spp.</p> <p>(79) <i>Solidago graminifolia</i> = <i>S. anceolata</i> = <i>Euthamia graminifolia</i></p> <p>(80) <i>Sonchus</i> spp.</p> <p>(81) <i>Stachys palustris</i></p> <p>(82) <i>Stenotaphrum secundatum</i></p> <p>(83) <i>Syringa vulgaris</i></p> <p>(84) <i>Tagetes minuta</i></p> <p>(85) <i>Taraxacum officinale</i> = <i>Leontodon taraxacum</i></p> <p>(86) <i>Tigridia</i> spp.</p> <p>(87) <i>Trifolium</i> spp.</p> <p>(88) <i>Tripleurospermum maritimum</i></p> <p>(89) <i>Triticum aestivum</i></p> <p>(90) <i>Tropaeolum polyphyllum</i></p> <p>(91) <i>Tulipa</i> spp.</p>			
--	--	--	--

<p>(92) <i>Tussilago farfara</i> (93) <i>Vicia sativa</i> (94) <i>Vigna unguiculata</i> = <i>V. sinensis</i> (95) <i>Xanthium strumarium</i> (96) <i>Zea mays</i></p>			
<p>21. Stem, leaves, buds, tubers, and fruits of the following living plants :</p> <p>(1) <i>Lycopersicon esculentum</i> (2) <i>Solanum</i> spp.</p>	<p>Asia and Pacific Region</p> <p>(1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (5) Georgia (6) India (7) Indonesia (8) Israel (9) Japan (10) Kazakhstan (11) Korea, Republic of (12) Kyrgyz (13) Moldova (14) Nepal (15) Pakistan (16) Russian Federation (17) Tajikistan (18) Thailand (19) Turkmenistan (20) Ukraine (21) Uzbekistan</p> <p>Africa</p> <p>(22) Egypt (23) Morocco (24) Rwanda</p> <p>Europe</p> <p>(25) Austria (26) Belgium (27) Czech Republic (28) Denmark (29) Finland (30) France (31) Germany (32) Estonia (33) Hungary (34) Ireland (35) Italy (36) Latvia (37) Lithuania (38) Netherlands</p>	<p>Potato late blight A² mating type (<i>Phytophthora infestans</i> A² Mating Type)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytophthora infestans</i> A² Mating Type and originate from areas free from <i>Phytophthora infestans</i> A² Mating Type; otherwise, the plants or plant parts will be destroyed or reshipped.</p>

	(39) Norway (40) Poland (41) Sweden (42) Switzerland (43) United Kingdom North America (44) Canada (45) Mexico (46) United States Central and South America (47) Argentina (48) Bolivia (49) Brazil (50) Colombia (51) Ecuador (52) Paraguay (53) Uruguay		
22.Fresh fruits of the following plants: (1) <i>Amelanchier</i> spp. (2) <i>Aronia</i> spp. (3) <i>Chaenomeles</i> spp. (4) <i>Cotoneaster</i> spp. (5) <i>Crataegomespilus</i> spp.. (6) <i>Crataegus</i> spp (7) <i>Cydonia</i> spp. (8) <i>Dichotomanthes</i> spp. (9) <i>Docynia</i> spp. (10) <i>Eriobotrya japonica</i> (11) <i>Malus</i> spp. (12) <i>Mespilus</i> spp. (13) <i>Osteomeles</i> spp. (14) <i>Peraphyllum</i> spp. (15) <i>Photinia</i> spp. (<i>Heteromeles</i> spp.) (16) <i>Prunus</i> spp. (17) <i>Pyracantha</i> spp. (18) <i>Pyrus</i> spp. (19) <i>Raphiolepis</i> spp. (20) <i>Rubus</i> spp. (21) <i>Sorbus</i> spp. (22) <i>Spiraea</i> spp. (23) <i>Stranvaesia</i> spp.	Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (excluding Shantung) (5) Georgia (6) India (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) New Zealand (14) Russian Federation (15) Saudi Arabia (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan (21) Vietnam Africa (22) Egypt Europe (23) Albania (24) Austria (25) Belgium (26) Bosnia and Herzegovina (27) Bulgaria	Fire blight (<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i>)	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al</i> ; otherwise, the fruits will be destroyed or reshipped.

	(28) Croatia (29) Cyprus (30) Czech (31) Denmark (32) Estonia (33) France (34) Germany (35) Greece (36) Hungary (37) Ireland (38) Italy (39) Latvia (40) Lithuania (41) Luxembourg (42) Macedonia (43) Netherlands (44) Norway (45) Poland (46) Romania (47) Serbia and Montenegro (48) Slovakia (49) Spain (50) Sweden (51) Switzerland (52) United Kingdom North America (53) Canada (54) Mexico (55) United States Central and South America (56) Bermuda (57) Brazil (58) Guatemala (59) Venezuela		
23. Entire or part of the following living plants: (1) <i>Benincasa hispida</i> (2) <i>Citrullus lanatus</i> (3) <i>Cucumis melo</i> (4) <i>Cucumis sativus</i> (5) <i>Cucurbita moschata</i> (6) <i>Cucurbita pepo</i>	Asia and Pacific Region (1) Australia (Queensland) (2) Mainland (3) Guam (4) Israel (5) Japan (6) Korea (7) Northern Mariana Islands (8) Thailand (9) Turkey North America (10) United States	Fruit blotch (<i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> (Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>))	1. The importation of the non-propagative plant parts, fruits and seeds for human consumption shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plant parts have been thoroughly inspected and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> (Formerly

	(Alabama, Arkansas, California, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Maryland, Mississippi, Missouri, North Carolina, Oklahoma, Oregon, South Carolina and Texas) Central and South America (11) Brazil		<i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>); otherwise, the plant parts will be destroyed or reshipped. 2. The importation of the plants or seeds for propagation shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or seeds have been thoroughly inspected during growing season and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> (Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>); or stating that the plants or seeds have undergone an appropriate quarantine treatment prior to shipment.
24. Cassava(<i>Manihot esculenta</i> or <i>M. utilissima</i>) (excluding seeds)	Asia and Pacific Region (1) India Africa (2) All countries and districts in Africa	<i>Cassava mosaic virus</i> (<i>Begomovirus</i>)	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Cassava mosaic virus</i> (<i>Begomovirus</i>); otherwise, the plants or plant parts will be destroyed or returned.
25. (deleted)			
26. Entire or any part of the following living plants (excluding seeds) : (1) <i>Allium</i> spp. (2) <i>Arctium lappa</i>	Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (5) Georgia	Bulb mite <input type="checkbox"/> (<i>Rhizoglyphus echinopus</i> Fumouze and Robin)	The importation of plants or plant parts shall be accompanied by phytosanitary certificates, issued by the plant quarantine authority of exporting countries, stating

<p>(3) <i>Brassica oleracea</i> var. <i>capitata</i></p> <p>(4) <i>Buxus microphylla</i> var. <i>intermedia</i></p> <p>(5) <i>Capsicum</i> spp.</p> <p>(6) <i>Curcuma longa</i> = <i>C. domestica</i></p> <p>(7) <i>Dahlia</i> spp.</p> <p>(8) <i>Daucus carota</i> var. <i>sativa</i></p> <p>(9) <i>Eucharis grandiflora</i></p> <p>(10) <i>Freesia</i> spp.</p> <p>(11) <i>Gentiana scabra</i> Bunge var. <i>buergeri</i></p> <p>(12) <i>Gladiolus</i> spp.</p> <p>(13) <i>Gloriosa</i> spp.</p> <p>(14) <i>Glycine max</i></p> <p>(15) <i>Hemerocallis hybrida</i></p> <p>(16) <i>Hippeastrum</i> spp.</p> <p>(17) <i>Hyacinthus</i> spp.</p> <p>(18) <i>Ipomoea batatas</i></p> <p>(19) <i>Iris</i> spp.</p> <p>(20) <i>Lachenalia pendula</i></p> <p>(21) <i>Lilium</i> spp.</p> <p>(22) <i>Narcissus</i> spp.</p> <p>(23) <i>Paeonia suffruticosa</i></p> <p>(24) <i>Panax</i> spp.</p> <p>(25) <i>Pinellia ternate</i></p> <p>(26) <i>Pleurotus sajor-caju</i> and <i>P. ostreatus</i></p> <p>(27) <i>Raphanus sativus</i></p> <p>(28) <i>Secale cereale</i></p> <p>(29) <i>Sinningia</i> spp.</p> <p>(30) <i>Solanum</i> spp. (excluding tomato (<i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i>))</p> <p>(31) <i>Tulipa</i> spp.</p>	<p>(6) Kazakhstan</p> <p>(7) India</p> <p>(8) Iran</p> <p>(9) Israel</p> <p>(10) Japan</p> <p>(11) Korea, Democratic People's Republic</p> <p>(12) Korea, Republic of</p> <p>(13) Kyrgyz</p> <p>(14) New Zealand</p> <p>(15) Moldova</p> <p>(16) Russian Federation</p> <p>(17) Tajikistan</p> <p>(18) Thailand</p> <p>(19) Turkmenistan</p> <p>(20) Ukraine</p> <p>(21) Uzbekistan</p> <p>(22) Vietnam</p> <p style="text-align: center;">Africa</p> <p>(23) Algeria</p> <p>(24) Egypt</p> <p>(25) Libya</p> <p style="text-align: center;">Europe</p> <p>(26) Belgium</p> <p>(27) Denmark</p> <p>(28) Estonia</p> <p>(29) France</p> <p>(30) Germany</p> <p>(31) Netherlands</p> <p>(32) Hungary</p> <p>(33) Italy</p> <p>(34) Latvia</p> <p>(35) Lithuania</p> <p>(36) Poland</p> <p>(37) Romania</p> <p>(38) Spain</p> <p>(39) Switzerland</p> <p>(40) United Kingdom</p> <p style="text-align: center;">North America</p> <p>(41) Canada</p> <p>(42) United States(California and Texas)</p> <p style="text-align: center;">Central and South America</p> <p>(43) Argentina</p> <p>(44) Chile</p>		<p>that the plants or plant parts inspected and found free from <i>Rhizoglyphus echinopus</i> Fumouze and Robin; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	--	--	--

(32) <i>Verbena officinalis</i> (33) <i>Vicia faba</i>			
27. Entire or any part of the living plants of Umbelliferae (excluding seeds)	Asia and Pacific Region (1) Belarus (2) Georgia (3) Japan (4) Mongolia (5) New Zealand (6) Russian Federation (7) Turkey Europe (8) Austria (9) Belgium (10) Czech (11) Denmark (12) Finland (13) France (14) Germany (15) Hungary (16) Ireland (17) Italy (18) Latvia (19) Netherlands (20) Norway (21) Poland (22) Slovakia (23) Spain (24) Sweden (25) Swiss (26) Ukraine (27) United Kingdom North America (28) Canada (29) United States	Carrot rust fly (<i>Psila rosae</i> Fabricius)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Psila rosae</i> Fabricius, or stating that the plants or plant parts has undergone an appropriate quarantine treatment prior to shipment.
28. Entire or any part of the following living plants (excluding seeds) : (1) <i>Cichorium</i> spp. (2) <i>Crepis</i> spp. (3) <i>Hieracium</i> spp. (4) <i>Lactuca</i> spp. (5) <i>Lampsana</i> spp. (6) <i>Nicotiana</i> spp. (7) <i>Petunia</i> spp. (8) <i>Ribes</i> spp. (9) <i>Scrophularia</i> spp. (10) <i>Veronica</i> spp.	Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Georgia (4) Kazakhstan (5) Lebanon (6) New Zealand (7) Turkey Europe (8) All countries and districts in Europe North America (9) Canada (10) United states	<i>Nasonovia ribisnigri</i> Mosley	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Nasonovia ribisnigri</i> Mosley, or stating that the plant part has undergone an appropriate quarantine treatment prior to shipment.

	<p style="text-align: center;">South America</p> <p>(11)Argentina (12)Brazil (13)Chile (14)Peru</p>		
<p>29. Entire or any part of the following living plants (excluding fruits and seeds) :</p> <p>(1) <i>Malus domestica</i> var. <i>idared</i> (2) <i>Pyrus</i> spp.</p>	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Korea, Republic of</p>	<i>Erwinia pyrifoliae</i>	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Erwinia pyrifoliae</i> ; otherwise, the plants or plant parts will be destroyed or returned.
<p>30. Entire or any part of the following living plants (excluding seeds and underground portion) :</p> <p>(1) <i>Acacia</i> spp. (2) <i>Asclepias fascicularis</i> (3) <i>Bambusa</i> spp. (4) <i>Bixa orellana</i> (5) <i>Ceratonia siliqua</i> (6) <i>Chenopodium album</i> (7) <i>Cinnamomum camphora</i> (8) <i>Diospyrus</i> spp. (9) <i>Eucalyptus</i> spp. (10) <i>Malva</i> spp. (11) <i>Persea americana</i> (12) <i>Rhus</i> spp. (13) <i>Rosa</i> spp. (14) <i>Salix</i> spp. (15) <i>Sonchus</i> spp. (16) <i>Vitis</i> spp.</p>	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Israel</p> <p style="text-align: center;">Europe</p> <p>(2) Spain (Andaluca)</p> <p style="text-align: center;">North America</p> <p>(3) Mexico (4) United States (California)</p> <p style="text-align: center;">Central and South America</p> <p>(5) Costa Rica</p>	<i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
<p>31. Entire or any part of the following living plants (excluding seeds and underground</p>	<p style="text-align: center;">Central and South America</p> <p>(1) Argentina (Mendoza) (2) Chile</p>	<i>Brevipalpus chilensis</i> Baker	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant

<p>portion) :</p> <p>(1) <i>Actinidia chinensis</i> (2) <i>Actinidia deliciosa</i> (3) <i>Ampelopsis</i> spp. (4) <i>Annona cherimola</i> (5) <i>Antirrhinum</i> spp. (6) <i>Apium graveolens</i> (7) <i>Catalpa speciosa</i> (8) <i>Cestrum parqui</i> (9) <i>Chrysanthemum</i> spp. (10) <i>Citrus</i> spp. (11) <i>Convolvulus arvensis</i> (12) <i>Cydonia oblonga</i> (13) <i>Diospyros kaki</i> (14) <i>Ficus carica</i> (15) <i>Ficus benghalensis</i> (16) <i>Geranium</i> spp. (17) <i>Ligustrum sinensis</i> (18) <i>Malus pumila</i> = <i>M. domestica</i> (19) <i>Chenopodium ambrosioides</i> (20) <i>Pelargonium</i> spp. (21) <i>Prunus dulcis</i> = <i>P. amygdalus</i> (22) <i>Ribes georgianus</i> (23) <i>Vinca</i> spp. (24) <i>Vitis vinifera</i></p>			<p>quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Brevipalpus chilensis</i> Baker, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
<p>32. Entire or any part of the following living plants (excluding flowers, fruits and seeds)</p> <p>(1) <i>Acer</i> spp. (2) <i>Alnus incana</i> (3) <i>Betula</i> spp. (4) <i>Castanea crenata</i> (5) <i>Castanea pumila</i> (6) <i>Celastrus</i> spp. (7) <i>Celtis</i> spp. (8) <i>Fagus</i> spp. (9) <i>Juglans regia</i> (10) <i>Magnolia</i> spp.</p>	<p>Asia and Pacific Region</p> <p>(1) Australia (2) Mainland (3) Japan</p> <p>Europe</p> <p>(4) Austria (5) Germany (6) Italy (7) Norway (8) Poland (9) Sweden (10) Switzerland (11) United Kingdom</p> <p>North America</p>	<p><i>Valsa ambiens</i> Pers. ex Fr.</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Valsa ambiens</i> Pers. ex Fr.; otherwise, the plants or plant parts will be destroyed or returned.</p>

<p>(11) <i>Malus</i> spp. (12) <i>Morus</i> spp. (13) <i>Prunus</i> spp. (14) <i>Populus tremula</i> (15) <i>Pyrus</i> spp. (16) <i>Quercus</i> spp. (17) <i>Salix</i> spp. (18) <i>Sambucus canadensis</i> (19) <i>Sambucus</i> spp. (20) <i>Tilia</i> spp. (21) <i>Ulmus</i> spp.</p>	<p>(12) Canada (13) United States</p>		
<p>33. Seeds of the following plants : (1) <i>Cosmos bipinnatus</i></p>	<p>Asia and Pacific Region (1) Japan Europe (2) All countries and districts in Europe</p>	<p>White smut disease of Cosmos (<i>Entyloma cosmi</i> Vanky Horita & Jape)</p>	<p>The importation of seeds shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds are found free from <i>Entyloma cosmi</i> Vanky Horita & Jape; otherwise, the seeds will be destroyed or returned.</p>
<p>34. Bark and wood with bark of following plants: (1) <i>Acer</i> spp. (2) <i>Aesculus californica</i> (3) <i>Aesculus hippocastanum</i> (4) <i>Fagus sylvatica</i> (5) <i>Lithocarpus densiflorus</i> (6) <i>Quercus</i> spp.</p>	<p>Europe (1) Belgium (2) Channel Island (British) (3) Denmark (4) France (5) Germany (6) Ireland (7) Italy (8) Netherlands (9) Norway (10) Poland (11) Republic of Slovenia (12) Spain (13) Sweden (14) Switzerland (15) United Kingdom North America (16) Canada (British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge))</p>	<p><i>Phytophthora ramorum</i></p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been heated in accordance with a specific time-temperature schedule that achieves a minimum wood core temperature of 56 °C for at least 30 minutes.</p>

	(17) United States (California, Florida, Georgia, Oregon and Washington)		
35. Entire or any part of the following living plants (excluding seeds): (1) <i>Capsicum annuum</i> (2) <i>Daucus carota</i> (3) <i>Physalis peruviana</i> (4) <i>Solanum betaceum</i> = <i>Cyphomandra betacea</i> (5) <i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i>) (6) <i>Solanum melongena</i> (7) <i>Solanum tuberosum</i>	Asia and Pacific Region (1) New Zealand Europe (2) Finland (3) Norway (4) Sweden North America (5) United States (6) Mexico Central and South America (7) Guatemala (8) Honduras	Zebra chip (<i>Candidatus Liberibacter psyllauros</i> = <i>Candidatus Liberibacter solanacearum</i>)	1. The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i>); otherwise, the plants or plant parts will be destroyed or returned. 2. The importation of the seed potatoes for propagative use shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seed potatoes have been thoroughly inspected and found free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i>) and originated from areas free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i>); otherwise, the seed potatoes will be destroyed or returned.
<u>36.</u> Following living plants for propagative use (excluding seeds) : (1) <i>Lilium</i> spp., including bulbs (2) <i>Nandina domestica</i> (3) <i>Plantago asiatica</i>	Asia and Pacific Region (1) Japan (2) Korea (3) Russia (4) New Zealand Europe (5) France (6) Netherlands	<u><i>Plantago asiatica mosaic virus</i></u> (<u><i>Potexvirus</i></u>)	1. The importing of the plants and plant parts shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been

<p>(4) <i>Primula acaulis</i> (5) <i>Primula sieboldii</i></p>	<p>North America (7) United States Central and South America (8) Chile</p>		<p>thoroughly inspected during growing season or laboratory tested before export and found free from <i>Plantago asiatica mosaic virus (Potexvirus)</i>, otherwise, the plants or plant parts will be destroyed or reshipped.</p> <p>2. The importation of <i>Lilium</i> spp. bulbs originated from the Netherlands should follow the “Quarantine requirements for the importation of Lily flower bulbs from The Netherlands”.</p>
---	---	--	--

2. Quarantine requirements for the importation of “Prohibited Plants or Plant Products” verified and approved by the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, the Executive Yuan.

Plants or Plant Products	Countries or Districts of Origin	Injurious pests and Disease	Quarantine Requirements
<p>1. Fresh fruits (including fresh fruits of fruit trees and vegetables and green ripeness bananas, excluding the fresh fruits of the following plants):</p> <p>(1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i></p> <p>(2) <i>Ananas comosus</i></p> <p>(3) <i>Cocos nucifera</i></p> <p>(4) <i>Hypericum</i> spp.</p> <p>(5) <i>Leycesteria</i> spp.</p> <p>(6) <i>Leucadendron</i> spp.</p> <p>(7) <i>Musa</i> spp. (Green Ripeness Bananas)</p> <p>(8) <i>Symphoricarpus</i> spp.</p> <p>(9) <i>Viburnum</i> spp.</p>	<p>Africa</p> <p>(1) South Africa</p> <p>(2) Swaziland</p> <p>Europe</p> <p>(3) France</p> <p>(4) Italy</p> <p>(5) Netherlands</p> <p>(6) Spain</p> <p>Central and South America</p> <p>(7) Argentina</p> <p>(8) Chile</p> <p>(9) Peru</p>	<p>Mediterranean fruit fly (<i>Ceratitis capitata</i> Wiedemann)</p>	<p>1. The importation of the fresh fruit from countries or districts where the Mediterranean fruit fly is known to occur shall comply with the following requirements:</p> <p>(1) The importation of fresh fruits from Netherlands shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from The Netherlands.”</p> <p>(2) The importation of fresh fruits from the Region III to Region X, Region XIV and Metropolitan Region of Chile shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Chile.”</p> <p>(3) The importation of fresh grapes from Peru shall comply with the "Quarantine Requirements for The Importation of Fresh Fruits from Peru."</p> <p>(4) The importation of fresh citrus fruits from Spain shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.” The fruit should be treated by one of the following cold treatment: core temperature at 34 °F for 30 days, core temperature at 35 °F for 30 days, or core temperature at 36 °F for 18 days.</p> <p>(5) The importation of the fresh fruit from other countries or districts shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.”</p> <p>2. The importation of fresh fruits shall</p>

			be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruit has been thoroughly inspected and found free from Mediterranean fruit fly.
<p>2. Corn ears without husks and seeds of the following plants:</p> <p>(1) <i>Areca catechu</i> <i>Saccharum</i> spp.</p> <p>(2) Bamboo (<i>Bambusa vulgaris</i>)</p> <p>(3) <i>Brachiaria mutica</i></p> <p>(4) Coconut (<i>Cocos nucifera</i>)</p> <p>(5) Job's tears (<i>Coix lachryma-jobi</i>)</p> <p>(6) <i>Dictyosperma album</i></p> <p>(7) Guinea grass (<i>Panicum maximum</i>)</p> <p>(8) Millet (<i>Panicum miliaceum</i>)</p> <p>(9) Elephant grass (<i>Pennisetum purpureum</i>)</p> <p>(10) <i>Roystonea regia</i></p> <p>(11) <i>Saccharum</i> spp.</p> <p>(12) Sorghum (<i>Sorghum bicolor</i>)</p> <p>(13) Johnson grass (<i>Sorghum halepense</i>)</p> <p>(14) Sudan grass (<i>Sorghum sudanense</i>)</p> <p>(15) <i>Sorghum verticilliform</i>(excluding leaves)</p> <p>(16) <i>Thysanolaena</i></p>	<p>Asia and Pacific Region</p> <p>(1) Fiji</p> <p>(2) India</p> <p>Africa</p> <p>(3) Ghana</p> <p>(4) Lesotho</p> <p>(5) Madagascar</p> <p>(6) Madeira</p> <p>(7) Malawi</p> <p>(8) Mauritius</p> <p>(9) Mozambique</p> <p>(10) Reunion</p> <p>(11) South Africa</p> <p>(12) Swaziland</p> <p>(13) Zimbabwe</p> <p>Central and South America</p> <p>(14) Antigua Island</p> <p>(15) Antigua and Barbuda</p> <p>(16) Argentina</p> <p>(17) Barbados</p> <p>(18) Belize</p> <p>(19) Brazil</p> <p>(20) Colombia</p> <p>(21) Cuba</p> <p>(22) Dominican Republic</p> <p>(23) Guadeloupe</p> <p>(24) Martinique</p> <p>(25) Puerto Rico</p> <p>(26) Saint Kitts and Nevis</p> <p>(27) Saint Lucia</p> <p>(28) Saint Vincent and the Grenadines</p>	<p>Sugarcane Gummy disease (<i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i>)</p>	<p>The importation of corns ears without husks and seeds shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds or ears without husks of the corn have been thoroughly inspected and found free from the Gummy disease; otherwise the shipment has to be undergone an appropriate quarantine treatment prior to importation.</p>

<p><i>maxima</i></p> <p>(17) <i>Tripsacum fasciculatum</i></p> <p>(18) <i>Zea mays</i> (excluding ears without husks)</p>			
3. (deleted)			
4. Table potato (<i>Solanum tuberosum</i>)	<p>Asia and Pacific Region</p> <p>(1) New Zealand</p>	Golden nematode (<i>Globodera rostochiensis</i> Wr.)	The importation of table potato from New Zealand shall comply with the “Quarantine Requirements for The Importation of Table Potato from New Zealand.”
5. Round wood, fuel wood, wood root, bark, unprocessed wood and processed wood materials of the following plants: (1) <i>Acer</i> spp. (2) <i>Aesculus</i> spp. (3) <i>Alnus</i> spp. (4) <i>Betula</i> spp. (5) <i>Citrus</i> spp. (6) <i>Elaeagnus angustifolia</i> (7) <i>Fraxinus</i> spp. (8) <i>Hibiscus</i> spp. (9) <i>Liriodendron tulipifera</i> (10) <i>Malus</i> spp. (11) <i>Melia</i> spp. (12) <i>Morus</i> spp. (13) <i>Paulownia fortunei</i> (14) <i>Platanus</i> spp. (15) <i>Populus</i> spp. (16) <i>Prunus</i> spp. (17) <i>Pyrus</i> spp. (18) <i>Robinia</i> spp. (19) <i>Rosa</i> spp. (20) <i>Salix</i> spp. (21) <i>Sophora</i> spp. (22) <i>Ulmus</i> spp.	<p>Asia</p> <p>(1) Mainland (2) Korea, Democratic People’s Republic of (3) Korea, Republic of Europe</p> <p>(4) Austria (Braunau) North America</p> <p>(5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont)) (6) Canada (Ontario (Toronto and Vaughan))</p>	Asian longhorned beetle (<i>Anoplophora glabripennis</i>)	The importation of mentioned plant products shall comply with the “Quarantine Requirements for the Importation of Wood.” (5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont))
6. Fresh fruits of the following plants: (1) <i>Malus</i> spp. (2) <i>Prunus americana</i> (3) <i>Prunus</i>	<p>Asia and Pacific Region</p> <p>(1) Japan</p>	Peach fruit moth (<i>Carposina sasakii</i> = <i>Carposina niponensis</i>)	The importation of the fruit from Japan shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from Japan for the host plants of Peach Fruit Moth (<i>Carposina sasakii</i>) .”

<p><i>domestica</i></p> <p>(4) <i>Prunus persica</i></p> <p>(5) <i>Prunus salicina</i></p> <p>(6) <i>Pyrus spp.</i></p>			
<p>7. Fresh fruits of the following plants :</p> <p>(1) <i>Malus</i> spp.</p> <p>(2) <i>Prunus persica</i></p> <p>(3) <i>Pyrus</i> spp.</p>	<p>Asia and Pacific Region</p> <p>(1) Korea, Republic of</p>	<p>Peach fruit moth (<i>Carposina sasakii</i> = <i>Carposina niponensis</i>)</p>	<p>The importation of the fruit from South Korea shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from South Korea for the host plants of Peach Fruit Moth (<i>Carposina sasakii</i>) .”</p>
<p>8. Fresh fruits of the following plants:</p> <p>(1) <i>Actinidia deliciosa</i></p> <p>(2) <i>Citrus limonia</i></p> <p>(3) <i>Citrus paradisi</i></p> <p>(4) <i>Citrus reticulata</i></p> <p>(5) <i>Citrus reticulata</i> × <i>C. paradisi</i></p> <p>(6) <i>Citrus reticulata</i> × <i>C. sinensis</i></p> <p>(7) <i>Citrus sinensis</i></p> <p>(8) <i>Diospyros kaki</i></p> <p>(9) <i>Malus pumila</i></p> <p>(10) <i>Prunus avium</i></p> <p>(11) <i>Prunus domestica</i></p> <p>(12) <i>Prunus persica</i> var. <i>nucipersica</i></p> <p>(13) <i>Prunus persica</i> var. <i>persica</i></p> <p>(14) <i>Prunus salicina</i></p> <p>(15) <i>Pyrus</i> spp.</p> <p>(16) <i>Vitis vinifera</i></p>	<p>Asia and Pacific Region</p> <p>(1) Australia (State of Tasmania and Riverland is pest-free area of Mediterranean fruit fly and Queensland fruit fly; Sunraysia is pest-free area of Mediterranean fruit fly)</p>	<p>(1) Mediterranean fruit fly (<i>Ceratitis capitata</i> Wiedemann)</p> <p>(2) Queensland fruit fly (<i>Bactrocera tryoni</i> (Froggatt))</p>	<p>The importation of the fruit from Australia shall comply with the “Quarantine Requirements for Import Inspection of Fresh Fruit from Australia That Hosts Mediterranean or Queensland Fruit flies.”</p>
<p>9. Fresh fruits of the following plants :</p> <p>(1) <i>Areca catechu</i></p>	<p>Asia and Pacific Region</p> <p>(1) Thailand</p>	<p>(1) Guava fruit fly (<i>Bactrocera correcta</i> (Bezzi))</p> <p>(2) Papaya fruit fly (<i>Bactrocera papayae</i> Drew</p>	<p>The importation of the fruit of <i>Areca catechu</i> from Thailand shall comply with the “Quarantine Requirements for Import Quarantine of Fresh Betel Nuts from Thailand.”</p>

		& Hancock)	
10. (deleted)			
11. Nursery stocks with roots of the following plants: (1) <i>Aechmea</i> spp. (2) <i>Anthurium</i> spp. (3) <i>Bromelia</i> spp. (4) <i>Cryptanthus</i> spp. (5) <i>Guzmania</i> spp. (6) <i>Neoregelia</i> spp. (7) <i>Nidularium</i> spp. (8) <i>Tillandsia</i> spp. (9) <i>Vriesea</i> spp.	Europe (1) Netherlands	Burrowing nematode (<i>Radopholus similis</i> (Cobb) Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan)	The importation of the nursery stocks from the Netherlands shall comply with the “Quarantine Requirements for the Importation of Propagation Materials which are Hosts of <i>Radopholus similis</i> from the Netherlands.”
12. Fresh fruits of grape (<i>Vitis vinifera</i>)	Central and South America (1) Peru	(1) Mediterranean fruit fly, <i>Ceratitidis capitata</i> (Wiedemann) (2) <i>Anastrepha fraterculus</i> (Wiedemann) (3) <i>Anastrepha obliqua</i> Macquart = <i>Anastrepha mombinpraeoptans</i> Sein	The importation of fresh grapes fruits of Peru shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Peru.”
13. Fresh carrots (<i>Daucus carota</i> L.)	Asia and Pacific Region Australia (Northern Territory, New South Wales, Queensland, South Australia, Western Australia)	Burrowing nematode (<i>Radopholus similis</i> (Cobb) Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan)	The importation of fresh carrot shall comply with the “Quarantine requirements for the importation of fresh carrots from areas where burrowing nematode (<i>Radopholus similis</i>) is known to occur in Australia.”
14. Fresh fruits of the following plants : (1) Cherry (<i>Prunus avium</i>)	Asia and Pacific Region Mainland	Guava fruit fly (<i>Bactrocera correcta</i> (Bezzi))	The importation of fresh cherry fruits from Shantung of Mainland shall comply with the “Quarantine Requirements for The importation of fresh cherry fruits from Mainland.”
15. Entire or any part of the following plants (excluding fruits and seeds) : (1) <i>Pyrus</i> spp.	Asia and Pacific Region Mainland	Guava fruit fly (<i>Bactrocera correcta</i> (Bezzi))	The importation of Pear Scions from Shantung of Mainland shall comply with the “Quarantine Requirements for The importation of f Pear Scions from Mainland.”

3. Hong Kong, Singapore, and Macau are free ports and therefore regarded as areas of all pests listed in enterable plants or plant products under precautionary requirements.
4. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the countries or districts listed in the table, they will be treated as the plants or plant products which shall comply with the precautionary requirements.
5. To apply for importation of plant or plant product for the first time from a country or district (excluding vegetables without fruits and underground portion, and fruiting body of edible fungi), the importer or the agent shall submit the following information to Bureau of Animal and Plant Health Inspection and Quarantine, Council of Agriculture, Executive Yuan (BAPHIQ) to conduct pest risk assessment (PRA). Only after the PRA was finished and concluded that the importation is acceptable, such plant or plant product is allowed to be imported into Taiwan under quarantine requirements specified by BAPHIQ. During the assessment, BAPHIQ may request the importer or the agent to contact the National Plant Protection Organization (NPPO) of the exporting country to provide supplementary documents, or dispatch BAPHIQ inspector(s) to the exporting country for confirmation. All expenses associated with the visit will be borne by the NPPO of the exporting country.
 - 5.1 The information of cultivation management of the plant or plant product, including producing areas, yield, harvest season and the post-harvest process.
 - 5.2 The pest list of the plant or plant product, including the information of pest control and the list of chemical used.
 - 5.3 If the exporting country or district where is in the immediate vicinity of a quarantine pest area, but has insufficient reports or no report at all about the pest status, the official survey data and the general surveillance record of the pest shall be provided.
 - 5.4 Other information requested by BAPHIQ.

If the aforementioned plant or plant product is used for the purpose of experimental, research, education or exhibition by governmental agencies (institutions), public enterprises, schools, corporations or organizations registered under relevant laws, the information as follows should be provided for specific application.

- (1) Relevant experimental, research, educational or exhibition projects including duration for the intended use.
- (2) Containment program (including the address and safeguard features of the isolation site)
- (3) Packing methods and the domestic and international transportation routes and means.
- (4) Other related documents and information requested by BAPHIQ.

Before the end of the duration of use, if the pest risk assessment (PRA) of the aforementioned plant or plant product is finalized and concluded that the importation is acceptable, the post-entry quarantine control measures could be lifted under application; otherwise the aforementioned plant or plant product should be re-exported or destroyed.

Besides the application for first-time importation as aforementioned, BAPHIQ will initiate pest risk assessment (PRA) under the circumstance described as followed in accordance with the risk presents.

- (1) Detection of any pest from importing plant, plant product or packing material that does not occur in Taiwan and present a possible threat to the agricultural production safety or ecological environment.
 - (2) Detection of regulated quarantine pests from importing plant, plant product or packing material.
 - (3) A new transmitting pathway of plant pests that present phytosanitary risk was found.
 - (4) Plant pests that present phytosanitary risk already caused economical or environmental impact, while BAPHIQ has not yet taken any relevant regulation measures.
 - (5) The plants or plant products have not been imported in recent 5 years.
6. Importation of lilies, gladiolus, and dahlia bulbs shall comply with the “Quarantine

Requirements for The Importation of Lilies, Gladiolus, and Dahlia Bulbs.”

7. Quarantine requirements for importation of timber will be published by the Council of Agriculture in later time.
8. Plants listed below are subjected to post-entry quarantine:
 - (1) Importation of the following living plants or propagates (excluding seeds and fruits) shall be subject to post- entry quarantine at nurseries designated by the BAPHIQ.
 - A. Plants subject to a quarantine period of at least two years:
 - a. *Saccharum sinense*, *Saccharum officinarum*
 - b. *Camellia sinensis*
 - c. *Ananas* spp.
 - d. *Citrus* spp., *Fortunella* spp., and *Poncirus* spp.
 - e. *Musa* spp.
 - B. Plants subject to a quarantine period of at least one year:
 - a. *Carica* spp.
 - b. *Euphoria longana*
 - c. *Fragaria* spp.
 - d. *Litchi chinensis*
 - e. *Malus* spp.
 - f. *Mangifera indica*
 - g. *Morus* spp.
 - h. *Passiflora* spp.
 - i. *Prunus* spp.
 - j. *Psidium guajava*
 - k. *Pyrus* spp. (excluding Pear Scions)
 - l. *Rosa* spp. (excluding cut flowers)
 - m. *Vitis* spp.
 - (2) After the Inspection by BAPHIQ, the plants or plant products imported from foreign country, including suspected to be infected with pests, **could not be identified, propagates (excluding seeds and fruits)**, shall be subjected to post-entry quarantine.
9. Importers of fresh plants or plant products, peat mosses and peat are required to present phytosanitary certificates issued by the plant quarantine authority of the exporting country. Importation of the plants or plant products, which are listed in “Part A. Prohibited plants or plant Products” of the “Quarantine Requirements for the Importation of Plants or Plants Products into the Republic of Mainland”, regulated by other importation authorities or designated plants or plant products by the BAPHIQ, did not accompany with phytosanitary certificates, shall resubmit the phytosanitary certificates; otherwise, the plants or plant products will be destroyed or reshipped.
10. Importation of plants or plant products shall be subjected to appropriate quarantine treatment for mitigating following pests if they are intercepted. If there is no appropriate quarantine treatment for the pest, the importing plants or plant products shall be destroyed or re-shipped. BAPHIQ may implement quarantine treatment to the higher taxa of the listed pests if necessary.

Insect (309)

Acalolepta cervina

Acanthoscelides obtectus

Acanthoscelides pallidipennis

Acleris gloverana

Acleris variana

Acrogonia terminalis

Acrolepiopsis assectella

Acropolitis rudisana

Adelges tsugae

Adoxophyes orana

Aeolesthes sarta
Aethina tumida
Affirmaspis socotrana
Agrilus mali
Amorbia emigratella
Anastrepha grandis
Anastrepha striata
Anastrepha suspensa
Anchastus swezeyi
Anomala sulcatula
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella tinerfinensis
Apis mellifera capensis
Apis mellifera scutellata
Archips micaceanus
Argyrotaenia ljungiana
Artitropa comus
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens
Bactrocera diversa
Bactrocera fascialis
Bactrocera frauenfeldi
Bactrocera jarvisi
Bactrocera kirki
Bactrocera latifons
Bactrocera melanota
Bactrocera musae
Bactrocera neohumeralis
Bactrocera occipitalis
Bactrocera oleae
Bactrocera passiflorae
Bactrocera psidii
Bactrocera trivialis
Bactrocera tuberculata
Bactrocera umbrosa
Bactrocera xanthodes
Bemisia cordylinidis
Blitopertha orientalis
Brachycerus spp.
Brachydactyla discoidea
Bruchophagus roddi
Bruchus pisorum
Bruchus rufimanus
Bulbifer homeorhynchus
Cacoecimorpha pronubana
Cacopsylla chinensis

Cacyreus marshalli
Callipogon relictus
Callosobruchus analis
Callosobruchus phaseoli
Camponotus floridanus
Camponotus pennsylvanicus
Capua tortrix
Cataenococcus hispidus
Catamacta lotinana
Ceratitis spp.
Chaetanaphothrips signipennis
Choristoneura conflictana
Choristoneura fumiferana
Choristoneura occidentalis
Choristoneura rosaceana
Chrysomphalus diversicolor
Chrysomphalus pinnulifera
Cilaeopeplus swezeyi
Coccus spp.
Conoderus eveillardi
Conoderus rufangulus
Conopia hector
Conotrachelus aguacatae
Contarinia nasturtii
Contarinia sorghicola
Coptotermes curvignathus
Copturus aguacatae
Cryptophlebia leucotreta
Cryptorhynchus lapathi
Curculio davidi
Curculio elephas
Curculio nucum
Cydia latiferreana
Cydia splendana
Dacus bivittatus
Dacus vertebratus
Dasineura mali
Dendroctonus adjunctus
Dendroctonus ponderosae
Dendroctonus rufipennis
Dendrolimus sibiricus
Delia antique
Delia platura
Diabrotica barberi
Diabrotica speciosa
Diabrotica undecimpunctata
Diabrotica virgifera virgifera
Diaprepes abbreviatus
Diaspidiotus gigas
Diaspidiotus ostreaeformis
Diaspidiotus pyri
Diatraea saccharalis

Dilobopterus costalimai
 Draeculacephala minerva
 Dreyfusia piceae
 Drosophila suzukii
 Dryocoetes confusus
 Dryocosmus kuriphilus
 Dysmicoccus nesophilus
 Dyspessa ulula
 Earias vittella
 Echinothrips americanus
 Elytroteinus subtruncatus
 Epiphyas postvittana
 Epitrix cucumeris
 Epitrix tuberis
 Eriosoma lanigerum
 Eublemma rufimixta
 Eucalymnatus tessellatus
 Euproctis chrysorrhoea
 Eurytoma laricis
 Exosoma lusitanica
Frankliniella spp.
 Furcaspis oceanica
 Gnathotrichus sulcatus
 Gonipterus gibberus
 Graphocephala atropunctata
 Grapholita funebrana
 Grapholita inopinata
 Grapholita molesta
 Grapholita packardi
 Grapholita prunivora
 Heilipus lauri
 Helicoverpa zea
 Hemiberlesia cyanophylli
 Hemiberlesia palmae
 Hemimene juliana
 Hesperophanes campestris
 Heterobostrychus aequalis
 Heteronychus arator
 Holotrichia mindanaona
 Homalodisca coagulata
 Howardia biclavis
 Hylastes ater
 Hylurgopinus rufipes
 Hyphantria cunea
 Hypothenemus hampei
 Insulaspis orsoni
 Ips calligraphus
 Ips confusus
 Ips grandicollis
 Ips lecontei
 Ips pini
 Ips plastographus
 Ips typographus
 Ischnaspis longirostris
 Kandyosilis cochleata
 Kytorthinus immixtus
 Laspeyresia spp.
 Lepidosaphes salicina
 Lepidosaphes tokionis
 Leptocybe invasa
 Leucoptera malifoliella
 Limonius californicus
 Listroderes subcinctus
 Listrionotus bonariensis
 Lobesia botrana
 Lopholeucaspis cockerelli
 Linepithema humile
 Lymantria dispar
 Lymantria monacha
 Malacosoma americanum
 Malacosoma disstria
 Margarodes prieskaensis
 Margarodes vredendalensis
 Matsucoccus matsumurae
 Mayetiola destructor
 Megalometis chilensis
 Melanaspis corticosa
 Melanaspis elaeagni
 Melanaspis nigropunctata
 Melanotus communis
 Metamasius spp.
 Monochamus spp.
 Mudaria luteileprosa
 Mycetaspis personata
 Mycetaspis sphaerioides
 Myzus ornatus
 Nasutitermes corniger
 Naupactus xanthographus
 Nemorimyza maculosa
 Neomaskellia bergii
 Neoselenaspidus silvaticus
 Nipaecoccus nipae
 Nysius vinitor
 Oncometopia fascialis
 Operophtera brumata
 Opogona sacchari
 Opuntiaspis carinata
 Orgyia antiqua
 Orgyia pseudotsugata
 Orthezia insignis
 Oryctes monoceros
 Ostrinia nubilalis
 Otiorhynchus ligustici
 Oulema melanopus
 Oviticoccus agavium
 Pammene fasciana

Paranthrene tabaniformis
Parthenolecanium corni
Paraputo hispidus
Pectinophora scutigera
Perileucoptera coffeella
Phalaenoides glycinae
Phenacaspis tangana
Phenacoccus manihoti
Phyllophaga spp.
Pinnaspis dracaenae
Pinnaspis strachani
Pissodes nemorensis
Pissodes strobi
Pissodes terminalis
Pogonomyrmex occidentalis
Prays endocarpa
Premnotrypes latithorax
Premnotrypes suturicallus
Premnotrypes vorax
Proeulia spp.
Promecotheca cumingii
Prostephanus truncatus
Proterhinus vestitus
Pseudischnaspis bowreyi
Pseudococcus spp.
Pterandrus spp.
Ptilodactyla exotica
Pulvinaria urbicola
Pulvinaria vitis
Rhagoletis cerasi
Rhagoletis cingulata
Rhagoletis fausta
Rhagoletis indifferens
Rhagoletis mendax
Rhizoecus amorphophalli
Rhizoecus floridanus
Rhizoecus simplex
Rhodogastria carneola
Rhynchophorus palmarum
Rondotia menciaana
Sahlbergella singularis
Sardia pluto
Scirtothrips aurantii
Scirtothrips citri

Mites (32)
Acarapis woodi
Aculops fuchsiae
Aculus schlechtendali
Brevipalpus chilensis
Bryobia eharai
Bryobia rubrioculus

Scolytus morawitzi
Scolytus multistriatus
Scolytus scolytus
Scyphophorus acupunctatus
Selenaspidus antsingyi
Selenaspidus littoralis
Sesamia cretica
Sirex noctilio
Sitophilus granarius
Sminthurus viridis
Solenopsis invicta
Solenopsis richteri
Solenopsis richteri × *Solenopsis*
Solenopsis xyloni
Sphaeraspis vitis
Spilonota lechriaspis
Spilonota pyrusicola
Spodoptera eridania
Spodoptera frugiperda
Spodoptera littoralis
Stenoma catenifer
Taeniothrips samdensis
Tecia solanivora
Tessarotoma papillosa
Tetropium castaneum
Tetropium fuscum
Tetropium gracilicorne
Thrips spp.
Tomicus piniperda
Toxotrypana curvicauda
Trioza erytrae
Trogoderma granarium
Unaspis citri
Viteus vitifoliae
Voraspis tangana
Wasmannia auropunctata
Xyleborus affinis
Xyleborus ferrugineus
Xyleborus rugatus
Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly *Carneocephala*) *fulgida*
Yponomeuta malinellus
Zabrotes subfasciatus

Cochlodispus operosus
Eotetranychus carpini
Eotetranychus pruni
Epitrimerus pyri
Eriophyes gossypii
Mononychellus tanajoa

Oligonychus gossypii
Oligonychus grypus
Oligonychus indicus
Oligonychus peruvianus
Oligonychus punicae
Oligonychus sacchari
Oligonychus yotrheri
Panonychus ulmi
Petrobia lateens
Phyllocoptes aphrastus

Bacterium (56)

Acidovorax avenae subsp. avenae
Agrobacterium larrymoorei
Agrobacterium tumefaciens
Agrobacterium vitis
Burkholderia andropogonis
Burkholderia caryophylli
Burkholderia gladioli pv. gladioli
Clavibacter michiganensis subsp. Indidiosus
Clavibacter michiganensis subsp. michiganensis
Clavibacter michiganensis subsp. sepedonicus
Clavibacter michiganensis subsp. nebraskensis
Curtobacterium flaccumfaciens subsp.
flaccumfaciens
Curtobacterium flaccumfaciens subsp.
poinsettiae
Erwinia carotovora subsp. atroseptica
Erwinia chrysanthemi
Erwinia herbicola pv. gypsophilae
Erwinia pyrifoliae
Erwinia rhapontici
Erwinia salicis
Leifsonia xyli subsp. xyli (original Clavibacter
xyli subsp. xyli)
Liberobacter asiaticum
Pantoea stewartii
Potato leaflet stunt bacterium
Pseudomonas corrugata
Pseudomonas syringae pv. actinidae
Pseudomonas lignicola

Fungus (78)

Alternaria gaisen
Anisogramma anomala
Apiosporina morbosa
Atropellis piniphila
Botryosphaeria larinica
Calonectria ilicicola
Ceratocystis fagacearum
Ceratocystis fimbriata
Chrysomyxa abietis

Phytoseius hongkongensis
Schizotetranychus andreopogoni
Schizotetranychus asparagi
Tetranychus canadensis
Tetranychus marianae
Tetranychus mcdanieli
Tetranychus mexicanus
Tetranychus turkestanii
Tropilaelaps clareae
Varroa sinhai

Pseudomonas savastanoi pv. phaseolicola
Pseudomonas syringae pv. eriobotryae
Pseudomonas syringae pv. maculicola
Pseudomonas syringae pv. morsprunorum
Pseudomonas syringae pv. papulans
Pseudomonas syringae pv. pisi
Pseudomonas syringae pv. syringae
Pseudomonas syringae pv. tabaci
Pseudomonas viridiflava
Ralstonia solanacearum Race3
Xanthomonas acernea
Xanthomonas arboricola pv. corylina
Xanthomonas axonopodis pv. begoniae
Xanthomonas axonopodis pv. dieffenbachiae
Xanthomonas axonopodis pv. glycines
Xanthomonas axonopodis pv. phaseoli
Xanthomonas axonopodis pv. poinsetticola
Xanthomonas axonopodis pv. vignicola
Xanthomonas axonopodis pv. vitians
Xanthomonas cucurbitae
Xanthomonas campestris pv. armoraciae
Xanthomonas campestris pv. Musacearum
Xanthomonas fragariae
Xanthomonas hortorum pv. carotae
Xanthomonas hortorum pv. perlargonii
Xanthomonas hyacinthi
Xanthomonas oryzae pv. oryzaicola
Xanthomonas translucens pv. translucens
Xanthomonas theicola
Xanthomonas populi

Chrysomyxa ledi
Ciborinia camelliae
Cronartium coleosporioides
Cronartium flaccidum
Cronartium quercuum f. sp. fusiforme
Cronartium himalayense
Cronartium kamtschaticum
Cronartium quercuum
Cryphonectria parasitica

Cytospora sp.	Ophiostoma ulmi
Diaporthe mali	Ophiostoma wagneri
Diaporthe phaseolorum	Peronosclerospora maydis
Diaporthe tanakae	Peronosclerospora sacchari
Diaporthe vaccinii	Phoma andigena
Didymella ligulicola	Phoma exigua var. foveata
Elsinoe australis	Phoma tracheiphila
Endocronartium harknessii	Phomopsis viticola
Entyloma holwayi H. & P. Sydow	Phomopsis vitimegaspora
Eutypa lata	Phomopsis vitimegasora
Fusarium subglutinans	Phymatotrichopsis omnivora
Fusarium oxysporum f. sp.	Phytophthora fragariae
Gaeumannomyces graminis	Puccinia gladioli
Gibberella circinata	Puccinia mccleanii
Gremmeniella abietina	Puccinia pittieriana
Gymnosporangium asiaticum	Rigidoporus lignosus
Gymnosporangium clavipes	Sclerotium cepivorum
Gymnosporangium fuscum	Septoria lycopersici
Gymnosporangium globosum	Stenocarpella maydis
Gymnosporangium yamadae	Thecaphora solani
Lachnellula willkommii	Tilletia barclayana
Leptosphaeria maculans	Tilletia indica
Leptosphaeria nodorum	Trachysphaera fructigena
Macrophomina phaseolina	Uredo dioscoreae-alatae
Melampsora farlowii	Uredo gladioli-buettneri
Monilinia fructigena	Urocystis agropyri
Nectria galligena	Urocystis tritici
Nectria mauritiicola	Ustilago scitaminea
Nectriella pironii	Verticillium alboatrum
Ophiostoma novo-ulmi	Verticillium dahliae

Virus (468)

Abutilon mosaic virus (AbMV) (*Geminiviridae*, *Begomovirus*)
Ageratum yellow vein virus (AYVV) (*Geminiviridae*, *Begomovirus*)
African cassava mosaic virus (ACMV) (*Geminiviridae*, *Begomovirus*)
Agropyron mosaic virus (AgMV) (*Potyviridae*, *Bymovirus*)
Alfalfa cryptic virus 1 (ACV-1) (*Partitiviridae*, *alphacryptovirus*)
Alfalfa enation virus
Alfalfa mosaic virus (AIMV) (*Bromoviridae*, *alfamovirus*)
Alsike clover vein mosaic virus
Alstroemeria mosaic virus (AIMV) (*Potyviridae*, *potyvirus*)
Amaranthus leaf mottle virus (AmLMV) (*Potyviridae*, *potyvirus*)
American plum line pattern virus (APLPV) (*Bromoviridae*, *Ilarvirus*)
Andean potato latent virus (APLV) (*Tymovirus*)
Andean potato mottle virus (APMoV) (*Comoviridae*, *Comovirus*)
Anthoxanthum latent blanching virus (ALBV) (*Hordeivirus*)
Anthriscus yellows virus (AYV) (*Sequiviridae*, *waikavirus*)
Apple chat fruit disease

Apple chlorotic leaf spot virus (ACLSV) (Trichovirus, Flexiviridae)
Apple dimple fruit viroid (ADFVd) (Apscaviroid, Pospiviroidae)
Apple mosaic virus (ApMV) (Bromoviridae, Iilarvirus)
Apple scar skin viroid (ASSVd) (Pospiviroidae, Apscaviroid)
Apple stem grooving virus (ASGV) (Capillovirus, Flexiviridae)
Apple stem pitting virus (ASPV) (Foveavirus, Flexiviridae)
Arabidopsis mosaic virus (ArMV) (Comoviridae, Nepovirus)
Araujia mosaic virus (ArjMV) (Potyviridae, potyvirus)
Arracacha Virus A (AVA) (Comoviridae, Nepovirus)
Arracacha Virus B (AVB) (Comoviridae, Nepovirus)
Arracacha Virus Y (AVY) (Potyviridae, potyvirus)
Artichoke Italian latent virus (AILV) (Comoviridae, nepovirus)
Artichoke latent virus (ArLV) (Potyviridae, potyvirus)
Artichoke mottled crinkle virus (AMCV) (Tombusviridae, Tombusvirus)
Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)
Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)
Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)
Asparagus virus 3 (AV-3) (Potexvirus)
Banana bunchy top virus (BBTV) (Nanovirus)
Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)
Barley mosaic virus (BBV)
Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)
Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)
Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)
Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)
Bean common mosaic virus (Potyviridae, potyvirus)
Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)
Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)
Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)
Bean pod mottle virus (BPMV) (Comoviridae, comovirus)
Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)
Bean southern mosaic virus (SBMV) (sobemovirus)
Bean yellow vein banding virus (BYV) (Umbravirus)
Beet distortion mosaic virus
Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)
Beet mosaic virus (BtMV) (Potyviridae, potyvirus)
Beet soil-borne virus (BSBV) (Pomovirus)
Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)
Beet yellows virus (BYV) (Closteroviridae, closterovirus)
Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)
Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)
Beet leaf curl virus (BLCV) (Rhabdoviridae)
Beet necrotic yellow vein virus (BNYVV) (Benyvirus)
Belladonna mottle virus (BeMV) (Tymovirus)

Bermuda grass etched-line virus (BELV) (Marafivirus)
Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)
Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)
Bidens mottle virus (BiMoV)(Potyviridae, potyvirus)
Black raspberry latent ilarvirus
Black raspberry necrosis virus (BRNV)
Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)
Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)
Blueberry necrotic shock virus (BlShV) (ilarvirus)
Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)
Blueberry scorch virus (BBScV) (carlavirus)
Blueberry shoestring virus (BSSV) (sobemovirus)
Broad bean B virus
Broad bean necrosis virus (BBNV) (Pomovirus)
Broad bean severe chlorosis virus (Closteroviridae, closterovirus)
Broad bean stain virus(BBSV) (Comoviridae, comovirus)
Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)
Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)
Broad bean yellow ringspot virus
Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)
Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)
Brome mosaic virus (BMV) (Bromoviridae, bromovirus)
Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)
Burdock mosaic virus
Burdock mottle virus
Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)
Cacao necrosis virus (CNV) (Comoviridae, nepovirus)
Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)
Cacao yellow mosaic virus (CYMV) (Tymovirus)
Cactus virus (CV-2) (Carlavirus)
Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)
Caper latent virus (CapLV) (Carlavirus)
Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)
Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)
Carnation cryptic virus I(CCV-1) (Partitiviridae, alphacryptovirus)
Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)
Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)
Carnation latent virus (CLV) (Carlavirus)
Carnation mottle virus (CarMV) (Carmovirus)
Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)
Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)
Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)
Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)
Carrot mottle mimic virus (CmoMV) (Umbravirus)

Carrot mottle virus (CMoV) (*Umbravirus*)
Carrot red leaf virus (CtRLV) (*Luteoviridae, luteovirus*)
Carrot temperate virus 1 (CteV-1) (*Partitiviridae, alphacryptovirus*)
Carrot temperate virus 2 (CteV-2) (*Partitiviridae, betacryptovirus*)
Carrot temperate virus 3 (CteV-3) (*Partitiviridae, alphacryptovirus*)
Carrot temperate virus 4 (CteV-4) (*Partitiviridae, alphacryptovirus*)
Carrot thin leaf virus (CTLV) (*Potyviridae, potyvirus*)
Cowpea chlorotic mottle virus (CCMV) (*Bromoviridae, Bromovirus*)
Cowpea golden mosaic virus (CPGMV) (*Geminiviridae, Begomovirus*)
Cowpea green vein-banding virus (CGVBV) (*Potyviridae, Potyvirus*)
Cowpea mosaic virus (CPMV) (*Comoviridae, Comovirus*)
Cowpea rugose mosaic virus (CPRMV) (*Potyviridae, Potyvirus*)
Cowpea severe mosaic virus (CPSMV) (*Comoviridae, Comovirus*)
Cowpea stunt virus (*Luteovirus*)
Cassava African mosaic virus (ACMV) (*Geminiviridae, bigeminivirus*)
Cassava green mottle virus (CaGMV) (*Comoviridae, nepovirus*)
Cassava Indian mosaic virus (ICMV) (*Geminiviridae, bigeminivirus*)
Cassava Ivorian bacilliform virus (CsIBV) (*Ourmiavirus*)
Cassava virus X (CsVX) (*Potexvirus*)
Cassia mosaic virus
Cassia ringspot virus
Cassia yellow blotch virus (CYBV) (*Bromoviridae, bromovirus*)
Cassia yellow spot virus (CasYSV) (*Potyviridae, potyvirus*)
Cauliflower mosaic virus (CaMV) (*Caulimoviridae, caulimovirus*)
Celery mosaic virus (CeMV) (*Potyviridae, potyvirus*)
Cereal northern mosaic virus (NCMV) (*cytorhabdovirus*)
Cassava brown streak virus (CsBSV) (*Potyviridae, Ipomovirus*)
Cassava common mosaic virus (CsCMV) (*Potexvirus*)
Cereal chlorotic mosaic virus (CCMoV) (*Rhabdoviridae*)
Cherry green ring mottle virus (CGRMV) (*Foveavirus*)
Cherry leaf roll virus (CLRV) (*Comoviridae, Nepovirus*)
Cherry mottle leaf virus (CMLV) (*Trichovirus*)
Cherry rasp leaf virus (CRLV) (*Comoviridae, Nepovirus*)
Cherry virus A (CVA) (*Capillovirus*)
Chickpea bushy dwarf virus (CpBDV) (*Potyviridae, potyvirus*)
Chickpea distortion mosaic virus (*Potyviridae, potyvirus*)
Chicory virus (ChVX) (*potexvirus*)
Chicory yellow mottle virus (ChYMV) (*Comoviridae, nepovirus*)
Chino del tomate virus (CdTV) (*Geminiviridae, bigeminivirus*)
Chloris striate mosaic virus (CSMV) (*Geminiviridae, monogeminivirus*)
Chrysanthemum virus B (CVB) (*Carlavirus*)
Citrus blight disease
Citrus leprosis virus (CiLV) (*Rhabdoviridae*)
Citrus yellow mosaic virus (CiYMV) (*Caulimoviridae, Badnavirus*)

Citrus leaf rugose virus (CiLRV) (*Rhabdoviridae, ilarvirus*)
Citrus ringspot virus
Citrus sudden death-associated virus (CSD- associated virus) (*Marafivirus, Tymoviridae*)
Citrus variegation virus (CVV) (*Bromoviridae, ilarvirus*)
Clitoria yellow vein virus (CYVV) (*Tymovirus*)
Clover mild mosaic virus
Clover wound tumor virus (WTV) (*Phytoreovirus*)
Clover yellow mosaic virus (CIYMV) (*potexvirus*)
Clover yellows virus (CYV) (*Closteroviridae, closterovirus*)
Clover yellow vein virus (CIYVV) (*Potyviridae, potyvirus*)
Cocksfoot mottle virus (CoMV) (*Sobemovirus*)
Coconut foliar decay virus (CFDV) (*Nanavirus*)
Commelina diffusa virus (*Potyviridae, potyvirus*)
Commelina mosaic virus (ComMV) (*Potyviridae, potyvirus*)
Commelina virus X (ComVX) (*potexvirus*)
Commelina yellow mottle virus (ComYMV) (*Caulimoviridae, badnavirus*)
Cocksfoot mild mosaic virus (CoMV) (*Sobemovirus*)
Cocoa mottle leaf virus
Cocoa necrosis virus (CoNV) (*Comoviridae, Nepovirus*)
Cocoa swollen shoot virus (CSSV) (*Caulimoviridae, Badnavirus*)
Cocoa yellow mosaic virus
Colombian datura virus (CDV) (*Potyviridae, Potyvirus*)
Coriander feathery red vein virus (CFRVV) (*Rhabdoviridae, nucleorhabdovirus*)
Cotton leaf curl virus (CLCuV) (*Geminiviridae, Begomovirus*)
Cotton leaf crumple virus (CLCrV) (*Geminiviridae, bigeminivirus*)
Cowpea mild mottle virus (CPMMV) (*Carlavirus*)
Crimson clover latent virus (CCLV) (*Comoviridae, nepovirus*)
Crinum mosaic virus (CriMV) (*Potyviridae, potyvirus*)
Croton yellow vein mosaic virus (CYVMV) (*Geminiviridae, bigeminivirus*)
Cucumber green mottle mosaic virus (CGMMV) (*Tobamovirus*)
Cucumber leaf spot virus (CLSV) (*Tombusviridae, carmovirus*)
Cucumber necrosis virus (CuNV) (*Tombusviridae, tombusvirus*)
Cucumber soil-borne virus (CuSBV) (*Tombusviridae, carmovirus*)
Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYC) (*Closteroviridae, Crinivirus*)
Cycas necrotic stunt virus (CNSV) (*Comoviridae, nepovirus*)
Cymbidium ringspot virus (CymRSV) (*Tombusviridae, tombusvirus*)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (*Sobemovirus*)
Dahlia mosaic virus (DMV) (*Caulimoviridae, caulimovirus*)
Dandelion latent virus (DaLV) (*Carlavirus*)
Dandelion yellow mosaic virus (DaYMV) (*Sequiviridae, sequivirus*)
Daphne virus X (DVX) (*Potexvirus*)
Daphne virus Y (DVY) (*Potyviridae, potyvirus*)

Datura Colombian virus (CDV) (*Potyviridae*, *potyvirus*)
Datura distortion mosaic virus (DDMV) (*Potyviridae*, *potyvirus*)
Datura necrosis virus (DNV) (*Potyviridae*, *potyvirus*)
Datura shoestring virus (DSTV) (*Potyviridae*, *potyvirus*)
Datura yellow vein virus (DYVV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (*Potyviridae*, *potyvirus*)
Desmodium mosaic virus (DesMV) (*Potyviridae*, *potyvirus*)
Desmodium yellow mottle virus (DYMV) (*Tymovirus*)
Digitaria streak virus (DSV) (*Geminiviridae*, *monogeminivirus*)
Digitaria striate mosaic (DiSMV) (*Geminiviridae*, *monogeminivirus*)
Dioscorea alata virus (*Potyviridae*, *potyvirus*)
Dioscorea bacilliform virus (DBV) (*Caulimoviridae*, *badnavirus*)
Dioscorea green banding mosaic virus (*Potyviridae*, *potyvirus*)
Dodonaea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (*Geminiviridae*, *bigeminivirus*)
Dulcamara mottle virus (DuMV) (*Tymovirus*)
Eggplant green mosaic virus (EGMV) (*Potyviridae*, *potyvirus*)
Eggplant mottled dwarf virus (EMDV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Elderberry virus (EV) (*Carlavirus 1*)
Epirus cherry virus (EpCV) (*Ourmiavirus*)
Erysimum latent virus (ErLV) (*Tymovirus*)
Echinochloa ragged stunt virus (ERSV) (*Reoviridae*, *Oryzavirus*)
Elm mottle virus (EMoV) (*Bromoviridae*, *Ilarvirus*)
European wheat striate mosaic virus (EWSMV) (*Tenuivirus*)
Euphorbia mosaic virus (EuMV) (*Geminiviridae*, *bigeminivirus*)
Euphorbia ringspot virus (EuRV) (*Potyviridae*, *potyvirus*)
Faba bean necrotic yellows virus (FBNYV) (*Nanovirus*)
Festuca leaf streak virus (FLSV) (*Rhabdoviridae*, *cytorhabdovirus*)
Fig virus S (FVS) (*Carlavirus*)
Figwort mosaic virus (FMV) (*Caulimoviridae*, *caulimovirus*)
Foxtail mosaic virus (FoMV) (*Potexvirus*)
Frangipani mosaic virus (FrMV) (*Tobamovirus*)
French bean mosaic virus
Freesia leaf necrosis virus (FLNV) (*Varicosavirus*)
Freesia mosaic virus (FreMV) (*Potyviridae*, *Potyvirus*)
Galinsoga mosaic virus (GaMV) (*Tombusviridae*, *carmovirus*)
Glycine mosaic virus (GMV) (*Comoviridae*, *Comovirus*)
Grapevine Algerian latent virus (GALV) (*Tombusviridae*, *Tombusvirus*)
Grapevine asteroid mosaic virus
Grapevine berry inner necrosis virus (GINV) (*Trichovirus*)
Grapevine Bulgarian latent virus (GBLV) (*Comoviridae*, *Nepovirus*)
Grapevine chrome mosaic virus (GCMV) (*Comoviridae*, *Nepovirus*)

Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)
Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)
Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)
Grapevine fleck virus (GFkV)
Grapevine stunt virus
Grapevine vein necrosis virus
Grapevine virus B (GVB) (Vitivirus, Flexiviridae)
Groundnut chlorotic leaf streak virus
Groundnut chlorotic spotting virus
Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)
Groundnut rosette virus (GRV) (Umbravirus)
Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)
Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)
Guar top necrosis virus
Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)
Helenium virus S (HVS) (Carlavirus)
Helenium virus Y (HVY) (Potyviridae, Potyvirus)
Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)
Heracleum latent virus (HLV) (Vitivirus)
Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus)
Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)
Hippeastrum mosaic virus
Honeysuckle latent virus (LnLV) (Carlavirus)
Hop American latent (AHLV) (Carlavirus)
Hop latent virus (HpLV) (Carlavirus)
Hop mosaic virus (HpMV) (Carlavirus)
Hop trefoil cryptic virus 1 (HTCV-1)(Partitiviridae, alphacryptovirus)
Hop trefoil cryptic virus 2 (HTCV-2)(Partitiviridae, betacryptovirus)
Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)
Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)
Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)
Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)
Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)
Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)
Hydrangea ringspot virus (HRSV) (Potexvirus)
Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)
Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)
Iris Japanese necrotic ring virus
Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)
Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)
Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)
Indian peanut clump virus (IPCV) (Pecluvirus)
Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)
Iranian maize mosaic virus

Jatropha mosaic virus (JMV) (*Geminiviridae, bigeminivirus*)
Johnsongrass mosaic (JGMV) (*Potyviridae, Potyvirus*)
Kalanchoe isometric virus
Kalanchoe latent virus (KLV) (*Carlavirus*)
Kalanchoe top-spotting virus (KTSV) (*Caulimoviridae, badnavirus*)
Kennedya yellow mosaic virus (KYMV) (*Tymovirus*)
Kennedya virus Y (KVY) (*Potyviridae, Potyvirus*)
Kyuri green mottle mosaic virus (KGMMV) (*Tobamovirus*)
Konjac mosaic virus (KoMV) (*Potyviridae, Potyvirus*)
Kober stem grooving
Lamium mild mottle virus (LMMV) (*Comoviridae, fabavirus*)
Lato River virus (LRV) (*Tombusviridae, tombusvirus*)
Leek yellow stripe virus (LYSV) (*Potyviridae, potyvirus*)
Lettuce big-vein virus (LBVV) (*Varicosavirus*)
Lettuce mosaic virus (LMV) (*Potyviridae, potyvirus*)
Lettuce necrotic yellows virus (LNYV) (*Rhabdoviridae, cytorhabdovirus*)
Lettuce speckles mottle virus (LSMV) (*Umbravirus*)
Lilac chlorotic leafspot virus (LCLV) (*Capillovirus*)
Lilac mottle virus (LiMV) (*Carlavirus*)
Lilac ring mottle virus (LRMV) (*Bromoviridae, ilarvirus*)
Lily mottle virus (LMoV) (*Potyviridae, potyvirus*)
Lily virus X (LVX) (*Potexvirus*)
Lettuce infectious yellows virus (LIYV) (*Closteroviridae, Crinivirus*)
Limabean golden mosaic virus (LGMV) (*Geminiviridae, Begomovirus*)
Little cherry virus (LChV) (*Closteroviridae, Closterovirus*)
LN33 stem grooving
Lucerne Australian symptomless virus (LASV) (*Comoviridae, Nepovirus*)
Lucerne vein yellowing virus
Lucerne transient streak virus (LTSV) (*Sobemovirus*)
Lychnis ringspot virus (LRSV) (*Hordeivirus*)
Maclura mosaic virus (MacMV) (*Potyviridae, macluravirus*)
Maize chlorotic dwarf virus (MCDV) (*Sequiviridae, waikavirus*)
Maize chlorotic mottle virus (MCMV) (*Tombusviridae, machlomovirus*)
Maize dwarf mosaic virus (MDMV) (*Potyviridae, potyvirus*)
Maize line virus
Maize mosaic virus (MMV) (*Rhabdoviridae, nucleorhabdovirus*)
Maize rayado fino virus (MRFV) (*Marafivirus*)
Maize white line mosaic virus (MWLMV)
Maize mottle/chlorotic stunt virus
Maize rough dwarf virus (MRDV) (*Reoviridae, Fijivirus*)
Maize streak virus (MSV) (*Geminiviridae, Mastrevirus*)
Malvastrum mottle virus
Malva vein clearing virus (MVCV) (*Potyviridae, potyvirus*)
Marigold mottle virus (MaMoV) (*Potyviridae, potyvirus*)

Melandrium yellow fleck virus (MYFV) (*Bromoviridae*, *bromovirus*)
Melon leaf curl virus(MLCV) (*Geminiviridae*, *bigeminivirus*)
Melon necrotic spot virus (MNSV) (*Tombusviridae*, *carmovirus*)
Melon Ourmia virus (OuMV) (*Ourmiavirus*)
Melon rugose mosaic virus (MRMV) (*Tymovirus*)
Milk vetch dwarf virus (MDV) (*Nanovirus*)
Mimosa mosaic virus
Mirabilis mosaic virus (MiMV) (*Caulimovirus*)
Miscanthus streak virus (MiSV) (*Geminiviridae*, *monogeminivirus*)
Mulberry latent virus (MLV) (*Carlavirus*)
Mulberry ringspot virus (MRSV)(*Comoviridae*, *nepovirus*)
Mung bean yellow mosaic virus (MYMV) (*Geminiviridae*, *bigeminivirus*)
Muskmelon vein necrosis virus (MuVNV)(*Carlavirus*)
Myrobalan latent ringspot virus (MLRSV) (*Comoviridae*, *nepovirus*)
Narcissus latent virus (NLV)(*Potyviridae*, *macluravirus*)
Narcissus mosaic virus (NMV) (*Potexvirus*)
Narcissus yellow stripe virus (*Potyviridae*, *potyvirus*)
Natsudaikai dwarf virus (NDV) (*Sadwavirus*)
Neckar River virus (NRV) (*Tombusviridae*, *tombusvirus*)
Nerine latent virus (NeLV) (*Carlavirus*)
Nerine virus (NV) (*Potyviridae*, *potyvirus*)
Nerine virus X(NVX) (*Potexvirus*)
Northern cereal mosaic virus (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)
Oak ringspot virus
Oat blue dwarf virus (OBDV) (*Marafivirus*)
Oat golden stripe virus (OGSV) (*Furovirus*)
Oat mosaic virus (OMV)(*Potyviridae*, *bymovirus*)
Oat necrotic mottle virus (ONMV) (*Potyviridae*, *rymovirus*)
Oat red streak mosaic virus
Oat sterile dwarf virus (OSDV) (*Reoviridae*, *Fijivirus*)
Okra leaf-curl virus(OLCV) (*Geminivirus*, *bigeminivirus*)
Okra mosaic virus (OkMV) (*Tymovirus*)
Olive latent ringspot virus (OLRSV) (*Comoviridae*, *nepovirus*)
Ononis yellow mosaic virus (OYMV)(*Tymovirus*)
Opuntia Sammons' virus (SOV) (*Tobamovirus*)
Ornithogalum mosaic virus
Pangola stunt virus (PaSV)(*Reoviridae*, *Fijivirus*)
Panicum streak virus (PanSV) (*Geminiviridae*, *monogeminivirus*)
Papaya leaf curl virus (PaLCuV) (*Begomovirus*, *Geminiviridae*)
Papaya meleira virus (PMeV)
Papaya mosaic virus (PapMV) (*Potexvirus*, *Flexiviridae*)
Paprika mild mottle virus (PaMMV) (*Tobamovirus*)
Parietaria mottle virus (PmoV)(*Bromoviridae*, *ilarvirus*)
Parsnip leafcurl virus

Parsnip mosaic virus (ParMV)
Parsnip yellow fleck virus (PYFV)(*Sequiviridae, sequivirus*)
Paspalum striate mosaic virus (PSMV)(*Geminiviridae, monogeminivirus*)
Passiflora latent virus (PLV)(*Carlavirus*)
Passiflora South African virus (*Potyviridae, potyvirus*)
Passiflora ringspot virus (PFRSV) (*Potyviridae, potyvirus*)
Passionfruit woodiness virus (PWV) (*Potyviridae, potyvirus*)
Passionfruit yellow mosaic virus (PaYMV)(*Tymovirus*)
Patchouli mosaic virus (*Potyviridae, potyvirus*)
Pea early browning virus (PEBV) (*Tobravirus*)
Pea enation mosaic virus-1 (PEMV-1) (*Luteovirus*)
Pea enation mosaic virus-2 (PEMV-2) (*Umbravirus*)
Pea mild mosaic virus (PmiMV) (*Comoviridae, comovirus*)
Pea mosaic virus (*Potyviridae, potyvirus*)
Peanut chlorotic streak virus (PCSV) (*Caulimoviridae, caulimovirus*)
Peanut green mosaic virus (*Potyviridae, potyvirus*)
Peanut stunt virus (PSV) (*Bromoviridae, cucumovirus*)
Peanut yellow spot virus (PeYMV) (*Tospovirus*)
Peach American mosaic virus
Peach latent mosaic viroid(PLMVd)
Peach mosaic virus (PMV) (*Trichovirus*)
Peach rosette mosaic virus (PRMV) (*Comoviridae, Nepovirus*)
Peanut clump virus (PCV) (*Pecluvirus*)
Pear blister canker viroid (PBCVd) (*Pospiviroidae, Apscavirioid*)
Pear necrotic spot virus
Pepino mosaic virus (PepMV) (*Flexiviridae, Potexvirus*)
Pineapple bacilliform virus (PBV) (*Badnavirus, Caulimoviridae*)
Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (*Ampelovirus, Closteroviridae*)
Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (*Ampelovirus, Closteroviridae*)
Plantago asiatica mosaic virus
Plum American line pattern virus (APLPV) (*Ilarvirus, Bromoviridae*)
Plum bark split virus
Plum pox virus (PPV) (*Potyviridae, Potyvirus*)
Plum rusty blotch
Potato black ringspot virus (PBRSV) (*Comoviridae, Nepovirus*)
Potato deforming mosaic virus
Potato mop-top virus (PMTV) (*Pomovirus*)
Potato spindle tuber viroid (PSTVd) (*Pospiviroidae, Pospiviroid*)
Potato virus T (PVT) (*Trichovirus*)
Potato virus U (PVU) (*Comoviridae, Nepovirus*)
Potato virus V (PVV) (*Potyviridae, Potyvirus*)
Potato yellow dwarf virus (PYDV) (*Rhabdoviridae, Nucleorhabdovirus*)
Potato yellow vein virus (PYVV) (*Closteroviridae, Crinivirus*)
Potato yellowing virus

Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)
Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)
Raspberry leaf curl virus
Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)
Red clover mottle virus (RCMV) (Comoviridae, Comovirus)
Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)
Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)
Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)
Rice yellow mottle virus (RYMV) (Sobemovirus)
Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)
Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)
Squash mosaic virus (SqMV) (Comoviridae, Comovirus)
Strawberry latent ringspot virus (SLRSV) (Sadwavirus)
Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)
Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)
Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)
Tobacco rattle virus (TRV) (Tobravirus)
Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)
Tobacco mosaic virus (TMV) (Tobamovirus)
Tobacco necrosis virus
Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)
Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)
Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)
Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)
Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)
Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)
Tulip breaking virus
Ullucus virus C (UVC)(Comoviridae,comovirus)
Ullucus mild mottle virus (UMMV)(Tobamovirus)
Ullucus mosaic virus (UMV) (Potyviridae,potyvirus)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (Potyviridae,potyvirus)
Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)
Vanilla necrosis virus(Potyviridae, potyvirus)
Velvet tobacco mottle virus (VTMoV)(Sobemovirus)
Viola mottle virus (VMV)(Potexvirus)
Voandzeia distortion mosaic virus (Potyviridae, potyvirus)
Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV)(Geminiviridae,bigeminivirus)
Watermelon curly mottle virus (WmCMV)(Geminiviridae, bigeminivirus)
Watermelon mosaic virus 2(WMV-2) (Potyviridae, potyvirus)
Wheat American striate mosaic virus (WASMV)(Rhabdovirus, ucleorhabdovirus)
Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)

Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)
Wheat soil-borne mosaic virus (SBWMV) (Furovirus)
Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)
Wheat spindle streak mosaic virus (WSSMV) (Potyviridae, bymovirus)
Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)
White clover mosaic virus (WCIMV) (Potexvirus)
Wild cucumber mosaic virus (WCMV) (Tymovirus)
Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)
Wineberry latent virus (WLV)
Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)
Yam mosaic virus (YMV) (Potyviridae, Potyvirus)
Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus) Remark: The vectors of above virus are also under restricted.

Phytoplasma (93)

Alder yellows AIY	Faba bean phyllody FBP
Almond witches' broom phytoplasma	Flavescence dorée
American aster yellows AAY	Garland chrysanthemum WB GCW
Annual blue grass white leaf ABGWL	Gentian witches'-broom GW
Apple proliferation AT, AP-A	Gladiolus yellows GLY
Apple proliferation phytoplasma AP	Goldenrod yellows GRY (GR1)
Ash yellows AshY	Grapevine yellows
Aster yellows AY	Grey dogwood witches'-broom GD1
Australian grapevine yellows AUSGY	Hydrangea phyllody HyPH1
Bermudagrass white leaf BGWL	Hydrangea virescence
Black alder witches'-broom BAWB	Ipomoea witches'-broom IOB
Blueberry stunt BBS1 BBS3	Jujube witches'-broom JWB
Bois noir BN	Leafhopper-borne BVK
Canadian peach X phytoplasma CX	Lilac witches'-broom LiWB
Candidatus Liberibacter americanus Lam	Loofah witches'-broom LfWB
Candidatus Phytoplasma asteris	Maize bushy stunt MBS
Candidatus Phytoplasma australiense	Marguerite yellows MY
Candidatus Phytoplasma caricae	Maryland aster yellows AY1
Celery yellows CelY	Mexican periwinkle virescence MPV
Cherry lethal yellows CLY	Michigan aster yellows MIAY
Chrysanthemum yellows CY	Milkweed yellows MWY (MW1)
Clover phyllody CPh	Mitsuba witches'-broom JHW
Clover proliferation CP	Mulberry dwarf MD
Clover yellow edge CYE	New Jersey aster yellows NJAY
Coconut lethal yellows LY, LY3	Oklahoma aster yellows OKAY1
Dwarf aster yellows DAY	Onion yellows OAY (OA)
Eastern aster yellows NAY	Passion fruit proliferation phytoplasma
Eggplant dwarf ED	Peach rosette phytoplasma
Elm witches'-broom ULW	Peach yellow leaf roll PYLR
Elm yellows	Peach yellows phytoplasma
Eucalyptus little leaf	Pear decline PD
European aster yellows EAY	Pecan bunch PB
European stone fruit yellows phytoplasma	Periwinkle little leaf CN1
European stone fruit yellows PPER	Periwinkle virescence VR, BLTVA

Phormium yellow leaf PYL
Plum leptonecrosis PLN
Potato yellows
Primula yellows PY
Ranunculus phyllody RPh
Rice yellow dwarf RYD
Rubus stunt RS
Spiraea stunt SP1
Stolbur STOL
Strawberry green petal
Sugarcane grassy shoot SCGS
Sugarcane white leaf phytoplasma
Sunhemp witches'-broom SUNHP

Sweet potato little leaf SPLL
Sweet potato witches'-broom SPWB
Tanzanian coconut lethal decline LDT
Tomato big bud
Tomato yellows TY
Tsuwabuki witches'-broom TW
Vaccinium witches'-broom VAC
Walnut witches'-broom WWB
Western aster yellows SAY, TLAY
Witches'-broom of lime WBDL
X-disease
Yucatan coconut lethal decline LDY

Nematode (54)

Anguina tritici
Aphelenchoides aradhidis
Aphelenchoides bicaudatus
Aphelenchoides fragariae
Aphelenchoides goodeyi
Aphelenchoides *ritzemabosi*
Aphelenchoides suipingensis
Belonolaimus gracilis
Belonolaimus longicaudatus
Bursaphelenchus muconatus
Bursaphelenchus xylophilus
Ditylenchus triformis
Dolichodorus heterocephalus
Globodera pallida
Globodera tabacum
Hemicycliophora arenaria
Hemicycliophora nudata
Heterodera glycines
Heterodera goettingiana
Heterodera sacchari
Heterodera schachtii
Heterodera zeae
Hirschmanniella gracilis
Hirschmanniella imamuri
Hirschmanniella magna
Hirschmanniella miticausa

Hirschmanniella spinicaudata
Hoploaimus spp.
Longidorus elongatus
Longidorus jiangsuensis
Meloidogyne fugianensis
Meloidogyne kongi
Meloidogyne lini
Nacobbus aberrans
Paralongidorus spp.
Paratrichodorus minor
Paratrichodorus porosus
Pratylenchus convallariae
Pratylenchus goodeyi
Pratylenchus indicus
Pratylenchus laticauda
Pratylenchus penetrans
Pratylenchus pratensis
Pratylenchus vulnus
Pratylenchus zeae
Radopholus citri
Rhadinaphelenchus cocophilus
Scutellonema bradys
Trichodorus spp.
Xiphinema bricolense
Xiphinema californicum
Xiphinema diversicaudatum
Xiphinema hunaniense
Xiphinema index

Weed (265)

Abelmoschus ficulneus (L.) Wight & Arn.
Acacia podalyriifolia
Acanthospermum hispidum DC.
Achnatherum calamagrostis P.Beauv.
Ageratum mexicanum = *A. houstonianum*

Agropyron repens (L.) Beauv. (syn. *Triticum repens* L.)
Albizia julibrissin Durazz.
Alopecurus aequalis Sobol.
Alternanthera philoxeroides (Mart) Griseb.
Amaranthus blitum L.

Amaranthus dubius Mart.
Amaranthus gracilis Desf.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus patulus Bertoloni
Amaranthus retroflexus L.
Ambrosia artemisiifolia L.
Ambrosia psilostachya DC.
Ambrosia trifida L.
Ammi majus L.
Ammi visnaga
Andropogon virginicus L.
Anthemis cotula L.
Anthocephalus chinensis Walp.
Ardisia elliptica Thunb.
Asphodelus tenuifolius Cav.
Aster subulatus Michx.
Atriplex hortensis
Avena sterilis L.
Bidens ferulifolia= *B. aurea*
Bidens pilosa L.
Bidens triplinervia
Boerhavia erecta L.
Bowiea volubilis Harv. ex Hook.f.
Brachiaria eruciformis (J. E. Sm.) Griseb.
Brachiaria mutica (Forssk.) Stapf
Brachiaria plantaginea (Link) Hitchc.
Brachypodium sylvaticum (Huds.) Beauv.
Brassica kaber (DC.) L.C.Wheeler var.
pinnatifida (Stokes), L.C.Wheeler (syn. *Sinapis*
arvensis L., *Brassica arvensis*, *Brassica kaber*)
Brassica nigra (L.) Koch
Bromus secalinus L.
Bromus tectorum L.
Cabomba caroliniana Gray
Calamagrostis epigejos (L.) Roth
Camelina sativa
Campanula cochleariifolia
Cannabis sativa
Cardaria draba (L.)Desv. (*Lepidium draba* L.)
Cardiospermum grandiflorum Sw.
Carduus nutans L.
Carduus pycnocephalus L.
Ceanothus americanus L.
Cecropia obtusifolia Bertol.
Cecropia peltata L.
Centaurea repens L.
Centaurea solstitialis L.
Centrosema pubescens
Cephalaria syriaca (L.) Schrad.
Cerastium arvense L.
Chasmanthium latifolium (Michx.) Yates
Chasmanthium laxum (L.) Yates
Chenopodium album
Chenopodium murale L.
Chenopodium opulifolium Schrad.
Chondrilla juncea L.
Chromolaena odorata (L.) R. M. King & H. Rob.
Chrysophyllum oliviforme L.
Chrysopogon gryllus Trin.
Cirsium arvense (L.) Scop.
Cirsium lanceolatum Hill
Cirsium vulgare (Savi) Tenore
Cleome monophylla L.
Clidemia hirta (L.) D. Don
Conium maculatum L.
Convolvulus arvensis L.
Cordia alliodora (Ruiz & Pav.) Oken
Cordia macrostachya Roem & Schlucht.
Cortaderia selloana (J.A. & J.H. Schultes)
 Aschers. & Graebn.
Crotalaria brevidens
Crotalaria deserticola
Crotalaria laburnifolia
Crotalaria laburnoides
Crotalaria lanceolata
Crotalaria pallid
Crotalaria piscarpa
Cryptostegia grandiflora R. Br.
Cuscuta campestris Yuncker
Cuscuta monogyna Vahl.
Cynodon plectostachyum (Schum.) Pilger.
Cynoglossum amabile Stapf & Drummond
Cyperus esculentus L.
Datura stramonium L. var. *chalybaea* Koch
Dichrostachys cinerea (L.) Wight & Arn.
Digitaria velutina (Forsk.) Beauv.
Digitaria scalarum (Schweinf.) Chiov
Dipsacus sativus (L.) Honckeney
Echinochloa pyramidalis (Lam.) Hitchc. & A.
 Chase
Echinochloa crus-pavonis (H.B.K.) Schult
Echium plantagineum L.
Eichhornia crassipes (Mart.) Solms
Eleocharis palustris (L.) R. Br. (syn. *E. filiculmis*
 Schur.)
Elodea canadensis Michx.
Emex spinosa (L.) Campdera
Equisetum arvense L.
Equisetum palustre L.
Erigeron karvinskianus= *E. mucronatus*
Eriocaulon cinereum
Erodium cicutarium (L.) L. ex W. Ait.
Eucalyptus globule Labill.
Euonymus europaeus L.
Euphorbia helioscopia L.
Euphorbia myrsinites

Euphorbia prunifolia Jacq.(syn. *E. geniculata* Orteg).
Furcraea foetida
Gaillardia pulchella
Galeopsis tetrahit L.
Galium aparine L.
Geranium molle L.
Gladiolus segetum Ker-Gawl.
Gynandropsis gynandra (L.) Briq.
Hardenbergia comptoniana (Andrews)Benth.
Heliotropium europaeum L.
Heteropanax fragrans (Roxb.) Seem.
Homeria collina
Homeria flaccid
Homeria miniata
Homeria ochroleuca
Hordeum murinum L.
Hypochoeris radicata L.
Indigofera amblyantha Craib
Ipomoea oenothera
Jatropha gossypifolia L. var. *elegans* (Pohl) Muell.-Arg.
Juncus bufonius L.
Jussiaea repens L.
Jussiaea suffruticosa L.
Kallstroemia maxima Gray.
Laburnum anagyroides Medik.
Lactuca serriola L.
Lagarosiphon spp.
Lagurus ovatus L.
Lantana camara L.
Lathyrus aphaca L.
Lemna minor L.
Leonotis nepetifolia (L.) Ait. f.
Leontodon autumnalis L.
Lepidium draba L.
Leptospermum scoparium
Leucaena leucocephala (Lam.) de Wit
Lithospermum arvense L.
Lolium temulentum L.
Luzula sylvatica (Huds.) Gaudin
Malva parviflora L.
Marsilea quadrifolia L.
Medicago hispida Gaertn.
Melastoma malabathricum L.
Mercurialis annua L.
Mertensia virginica (L.) Pers. ex Link
Miconia calvescens DC.
Mikania micrantha Kunth
Mikania scandens (L.) Wild.
Mimosa diplotricha C. Wright ex Sauvalle
Mimosa pigra L.
Miscanthus giganteus Kunth
Monochoria hastata (L.) Solms
Mucuna pruriens (L.) DC. var. *pruriens* Cowitch
Murdannia nudiflora (L.) Brenan
Muscari botryoides
Myrica faya Ait.
Myriophyllum aquaticum (Vell.) Verdc.
Myriophyllum brasiliense Camb.
Nassella tenuissima (Trin.) Barkworth
Neslia paniculata (L.) Desv.
Nicandra physalodes (L.) Gaertn.
Orlaya grandiflora Hoffm.
Oryza barthii A. Chev. (syn. *O. breviligulata* A. Chev.et Roehr.)
Oryza officinalis Wall. Ex Watt.
Oryza punctata Kotschy ex Steud.
Panicum fasciculatum Sw.
Panicum maximum Jacq.
Parthenium hysterophorus L.
Passiflora mollissima (H. B. K.) Bailey
Passiflora rubra Lam.
Peltophorum dubium (Spreng.)Taub.
Pennisetum ciliare (L.) Link
Pennisetum clandestinum Hochst. ex Chiov.
Pennisetum macrourum Trin.
Pennisetum pedicellatum Trin.
Pennisetum polystachion (L.) Schult.
Pennisetum purpureum Schumach.
Pennisetum setaceum (Forsk.) Chiov.
Pennisetum villosum R. Br. ex Fresen.
Phalaris minor Retz.
Phalaris paradoxa L.
Pinus pinaster= *P. maritima*= *P. mesogeneensis*
Pluchea carolinensis (Jacq.) G. Don
Pluchea odorata (L.) Cass.
Pluchea sagittalis (Lam.) Cabera
Poa cita E.Edgar
Pontederia rotundifolia L. f.
Portulaca oleracea
Potamogeton natans L.
Pueraria phaseoloides
Quercus gambelii Nutt.
Radermachera hainanensis Merrill
Ranunculus arvensis L.
Ranunculus repens L.
Raphanus raphanistrum L. (*Raphanus arvensis* Wallr., *Raphanus sylvestris* Aschers)
Rapistrum rugosum (L.) All.
Reseda lutea L.
Rhodanthe chlorocephala (Turcz.) Paul G.Wilson
Ribes cereum= *R. viscidulum*
Richardia brasiliensis Gomez
Rides roezlii
Rosa canina
Rubus argutus Link
Rubus leucodermis

Rubus moluccanus L.
Rubus parviflorus
Rumex pulcher L.
Sagittaria sagittifolia L.
Sagittaria subulata (L.) Buch.
Salsola kali L.
Sanvitalia procumbens Lam.
Schizachyrium condensatum (Kunth) Nees
Scirpus grossus L. f.
Scirpus maritimus L.
Scirpus mucronatus L.
Sesbania punicea (Cav.) Benth.
Sida spinosa L.
Silene gallica L.
Sinapis arvensis L.
Sisymbrium luteum= *Hesperis lutea*
Sisymbrium officinale (L.) Scop.
Solanum mauritianum Scopoli
Solanum sisymbriifolium= *S. sisymbriifolium*
Solidago canadensis L.
Solidago speciosa Nutt.
Sophora secundiflora Lag. ex DC.
Sorghastrum nutans (L.) Nash
Spergula arvensis L.
Sporobolus heterolepis (Gray) Gray
Stachytarpheta urticaefolia (Salisb.) Sims

Stipa tenacissima L.= *Nassella tenuissima* (Trin.)
 Barkworth
Striga asiatica (L.) O. Ktze.
Swainsona formosa (G.Don) J. Thompson
Tagetes minuta L.
Taraxacum mongolicum Hand.-Mazz.
Taraxacum officinale G.H. Weber ex Wiggers
Tecoma stans
Thlaspi arvense L.
Tibouchina urvilleana (DC) Cogn.
Trichachne insulatis (L.) Ness
Trisacum dactyloides
Typha latifolia L.
Ulex europaeus L.
Urochloa panicoides Beauv.
Urtica dioica L.
Urtica urens L.
Vallisneria spiralis L.
Verbascum blattaria L.
Verbascum bombyciferum Heuff.
Verbascum olympicum Boiss.
Vicia angustifolia L.
Xanthium spinosum L.
Yucca glauca

Parasitic Plants (13)

<i>Aeginetia indica</i>	<i>Cuscuta major</i>	<i>Orobanche</i> spp.
<i>Arceuthobium</i> spp.	<i>Cuscuta japonica</i>	<i>Phoradendron</i> spp.
<i>Arceuthobium americanum</i>	<i>Cuscuta indicora</i>	<i>Striga</i> spp.
<i>Arceuthobium pusillum</i>	<i>Cuscuta planiflora</i>	
<i>Conopholis</i> spp.	<i>Cuscuta campestris</i>	

Mollusca (12)

<i>Achatina achatina</i>	<i>Archachatina ventricosa</i>	<i>Helix aspersa</i>
<i>Achatina fulica</i>	<i>Bradybaena similaaris</i>	<i>Otala lactea</i>
<i>Archachatina degneri</i>	<i>Cepaea nemoralis</i>	<i>Succinea costaricana</i>
<i>Archachatina purpurea</i>	<i>Eobania vermiculata</i>	<i>Theba pisana</i>

Agent (45)

African soybean dwarf agent	Cherry rough fruit agent
Apple flat limb agent	Cherry rusty mottle (European) agent
Apple green crinkle agent	Cherry short stem agent
Apple ringspot agent	Cherry twisted leaf agent
Apple rosette agent	Cotton anthocyanosis agent
Apple rough bark agent	Cotton small leaf agent
Apple star crack agent	Euonymus mosaic agents
Apricot ring pox agent	Grapevine Bratislava mosaic agent
Cherry necrotic rusty mottle agent (CNRMV)	Grapevine chasselas latent agent
Cherry pink fruit agent	Grapevine enation agent

Grapevine little leaf agent
Grapevine vein mosaic agent
Grapevine vein necrosis agent
Hibiscus leaf curl agent
Horsechestnut variegation agent
Horsechestnut yellow mosaic agent
Jasmine variegation agents
Ligustrum mosaic agents
Maple mosaic agent
Maple variegation agent
Mountain ash ringspot mosaic agent
Mountain ash variegation agent
Mulberry mosaic agent

Okra mosaic agents
Okra yellow leaf curl agent
Peach wart agent
Pear bud drop agent
Pear rough bark agent
Pear stony pit agent
Quince sooty ringspot agent
Quince stunt agent
Quince yellow blotch agent
Rose wilt agent
Sampaguita yellow ringspot mosaic agent
Spur cherry agent

11. The wooden packing material used for import commodities should be in compliance with the “Quarantine Requirements for the Importation of Wooden Packaging Material to Taiwan”.

12. Importation of tissue culture plantlets shall comply with the “Quarantine Requirements for the Importation of tissue culture plantlets”.